



EVOLUTIONARY HOUSING

FOR POST-WAR RECONSTRUCTION IN

UKRAINE



Darya Zhukouskaya
candidate



Anna Dziurych
candidate



Matteo Robiglio
tutor



CONTENTS

INTRODUCTION P. 4-5	WAR IN UKRAINE P. 6-23 -infrastructure -environment -population	RECONSTRUCTION P. 24-31	FAMILY P. 32-39	PLOT P. 40-49 - general info - possibilities of a plot purchasing - plot organization	CLIMATE SENSITIVITY P. 50-69 - climate of Ukraine - general bioclimatic strategies - strategies for: Cherniniv, Kharkiv, Mykolaiv regions	PRESENCE + CONSEQUENCES	FUTURE: WHAT & HOW	BUILDING RESOURCES P. 70-79 -soils -strucion: timber / brick -climate comfort analysis	PROJECT PART P. 80-131 - plot's zones - house evolution - construction options: lightweight & heavyweight structures	WEBSITE/ MANUAL P. 132-151	AFTERWORD P. 152-155	BIBLIOGRAPFY P. 156-159
-------------------------------	--	-----------------------------------	---------------------------	--	---	--------------------------------	-------------------------------	---	---	--------------------------------------	--------------------------------	-----------------------------------

0

INTRODUCTION

Housing plays a crucial role in the well-being and progress of societies, encompassing various aspects such as livelihoods, health, education, security and social cohesion. It serves as a central hub for families and communities, fostering a sense of pride, cultural identity, and social connections.

Dwelling holds significant political and economic value that making it a vital asset. However, housing is also highly vulnerable so that its destruction or loss caused by conflict or natural disasters has profound and visible consequences.

In recent years (2022-2023), Ukraine has experienced extensive damage, mainly due to the Russian full-scale invasion and its aftermath. This period has led to a severe crisis in various spheres, including housing.

The visible effects of this destruction, displacement, and dispossession highlight the urgent need to address the post-war housing of the affected population.

Housing deprivation covers more than just the physical aspect; it also entails a loss of dignity and privacy. It can lead to psychological stress, disrupt cultural identity, destabilize social structures, threaten accepted social norms, compromise security, and cause significant negative economic consequences.

Recognizing the multifaceted importance of housing within the Ukrainian context, this thesis aims to carefully examine the current state of affairs and suggest a potential approach for the reconstruction of private houses in Ukraine.

1

**WAR IN
UKRAINE**

KYIV ON FEBRUARY 24, 2022

traffic jam on the way out from the capital of Ukraine



«Ukraine begins with you»

Vyacheslav Chornovil
Ukrainian politician, Soviet dissident

In particular, at 03:40 a.m. on February 24, 2022, all citizens of Ukraine woke up in horror. A full-scale invasion by the neighboring state of Russia has begun in many directions across the borders of the country. This situation has led to dire circumstances, creating a genuine crisis for both the civilian and military populations. A real humanitarian disaster has occurred.

The war has brought about a series of catastrophic events for Ukrainians, compelling them to reassess their lives from a new perspective. This process has led to a reevaluation of values, as it becomes evident, especially in times of danger, that the paramount value is one's own life and well-being.

According to Andrushchenko, T. (2022) "Spiritual and aesthetic values are currently undergoing a significant

reevaluation. Some of them, which seemed important before the war, now receded into the background, and vice versa, we began to value some everyday things more. Helping loved ones, their smiles, supporting each other, volunteering are important, because they make us feel that each of us is not alone. Awareness of unity helps the people to withstand any difficulties. Mutual aid breeds indomitability. War is a horror. No one can argue with this axiom or argue that it does not."


In other words, waking up the next day is already a great achievement, that satisfying basic needs and having a cover over one's head is a great luck. Many people have lost everything and are forced to survive in other, safer areas.

This crisis is undoubtedly multifaceted,

covering housing, social and environmental aspects. From an architectural point of view, this now presents a major challenge, requiring the creation of pathways for the population to recapture aspects of their pre-conflict lives in the next decades.

Next, the main areas that suffered and are still suffering (as of 2023) from the Russian invasion will be considered, namely the infrastructure, environment and population of Ukraine.

This will help to get acquainted with the situation in general, for the further development of methods and strategies in order to the situation in the field of housing architecture in the post-war period.





INFRASTRUCTURE

Infrastructure sector in Ukraine has been severely impacted by the active shelling of cities, resulting in significant damage to housing and administrative buildings. More than 50% of the housing stock in numerous cities and towns has been destroyed or damaged. Regions such as Kharkiv, Mykolaiv, Kherson, Donetsk, Luhansk, Chernihiv, Kyiv have been particularly affected, with 90% damage to its dwelling stock.

According to the annual report by the Kyiv School of Economy (2023), which provides insightful analysis, the documented direct damage to residential and non-residential real estate, along with other infrastructure, since the onset of the full-scale Russian military invasion surpasses \$143.8 billion in terms of replacement cost.

Of the total losses, the largest share corresponds to residential buildings, accounting for 37.3% or \$53.6 billion. Infrastructure - 25.2% or \$36.2 billion of the overall losses, business sector - \$11.3 billion, agricultural sector - \$8.7 billion. Additionally, the cumulative direct losses incurred by all sectors approximate \$13.69 billion.

As of February 24, 2023, preliminary data from regional military administrations reveals that approximately 153,860 buildings have been destroyed or damaged. These include 136,000 private houses, 17.5 thousand multi-apartment buildings, and 0.3 thousand dormitories. The total area affected amounts to 83.1 million square meters that is equal to 8.2% of Ukraine's housing stock area. The consequences extend to around 1.3 million households impacting an estimated 3.2 million individuals.



* assessment of destruction and damage in Ukraine is currently a difficult task due to the ongoing conflict and the occupation of some territories by Russia; a comprehensive evaluation of the extent of damage can only be conducted once hostilities on Ukrainian territory will cease; the assessment of Ukraine's private sector damage emphasizes the serious challenge that will have to be faced in the post-war period.



photo by Kyiv Regional Military Administration



← **Hullalpole, Zaporizhzhia region**
photo by Governor of Zaporizhzhia region

↓ **Orikhiv, Zaporizhzhia region**
photo by facebook.com/MNS.GOV.UA



↑ **Vovchansk city, Kharkiv region**
photo by facebook.com/MNS.GOV.UA

↗ **Pokrovsk city, Donetsk region**
photo by facebook.com/MNS.GOV.UA

→ **Borodyanka, Kyiv region**
photo by Vadim Ghirda

↘ **Izum city, Kharkiv region**
photos by facebook.com/MNS.GOV.UA


↓ **Kherson region**
photos by facebook.com/MNS.GOV.UA



↑ **Zaporizhzhia region**
photo by Ministry of Internal Affairs (Ukraine)

Hullalpole, Zaporizhzhia region →
photo by Governor of Zaporizhzhia region





ENVIRONMENT


Beyond the destruction of essential infrastructure, there is an additional apparent crisis stemming from the ongoing military activities can haunt Ukraine for years – environmental damage. From shelling of chemical plants to forests burned by rockets, the consequences will be felt not only by the ecosystems of Ukraine, but also by its people.

The scale of damage caused by the war to the environment in Ukraine is already extremely high. According to Vlasjuk, N. (2022), the total number of environmental violations entered into the single register is 260 cases. Among the most dangerous incidents were fires at oil storage facilities, explosions of tanks with chemicals and destruction of water vessels in the Black Sea. The operational headquarters of the State Environmental Inspection of Ukraine



entered these events into a single register due to their connection with military operations and the possibility of contamination of atmospheric air, water resources and soil with hazardous substances.

The head of the All-Ukrainian Environmental League (2023) writes that shelling and occupation increase the risk of toxic waste emissions from Ukrainian industrial enterprises. The largest number are in the regions of Donetsk, Dnipropetrovsk, Zaporizhzhia, Kharkiv and Lviv.

Russia's invasion affects 20% of Ukraine's natural areas, including 812 protected sites and 0.9 million hectares. About 160 areas in the Emerald network, spanning 2.9 million hectares, are at risk. The war in Ukraine endangers food markets and ecosystems by shrinking territories through landmines and military actions.



approximate calculations of damages from contamination during the Russian-Ukrainian war, calculated by the State Environmental Inspection, \$ mln /as of 07. 2023/



* environmental problems should be taken into account for further evaluation of territories, their safety and/or possible threats around; ecological problems create a lack of materials, decreasing public health and common basic comfort, which generate a field for particular post-war strategies and approaches



photo by UAnimals



↑ Explosive objects in water bodies, Sumy region

photo by facebook.com/MNS.GOV.UA

Soil disturbance in the Red forest, Chernobyl zone →

photo by greenpeace.org

↓ Explosive objects at forest areas, Mykolaiv region

photo by facebook.com/MNS.GOV.UA



← Consequences after Kakhovska dam explosion, Kherson region →

photos by facebook.com/MNS.GOV.UA

↓ Burned 10 hectares of wheat fields, Odesa region ↘

photos by facebook.com/MNS.GOV.UA




← Burning of oil depot, Lviv region

photo by facebook.com/MNS.GOV.UA

Burned 20 hectares of forest area, Mykolaiv region →

photo by facebook.com/MNS.GOV.UA





POPULATION

The conflict between Russia and Ukraine resulted in a significant number of Ukrainians leaving their homes to protect the safety of their families, especially children, in response to the increasing threat posed by the Russian forces.

After the start of the war on February 24, 2022, a modern Ukrainian family is forced to face a new reality, which leads to making unexpected decisions, mostly related to the deterioration of their everyday life and separation from loved ones.

During the first month of the full-scale war, 3.6 million people left Ukraine. According to the International Organization for Migration, another 6.5 million left their place of permanent residence and moved within the country. During the first days, kilometer-

long queues formed at the border checkpoints to the countries of the European Union with which Ukraine borders, primarily to Poland. Up to 150,000 people crossed the border every day.

In addition to emigration, Ukraine faced mass internal migration. According to the Ministry of Social Policy, slightly less than 4.9 million people have the status of internally displaced persons (60% are women, 40% are men).

The UN reports (2023) that due to the war, 9177 people died and another 15993 were injured. Children became victims in 535 cases. UN observers record more than 25,000 victims among the civilian population. Among them, 61%-men and 39%-women. Among children, 57.2%-boys and 42.8%- girls.



INTERVIEWS

responses from 3 Ukrainian citizens who have different resident statuses after 24.02.2022. The comments about their current lifestyle, how the situation affects them and how they see their future in in different aspects



Yana, student-architect
26 years old
from: Kyiv, Ukraine
current location: Lisbon, Portugal
status: refugee

“

The full-scale invasion forced me to move abroad, and after a journey that took about one and a half weeks via the Kyiv-Lviv-Krakow-Lisbon route, I arrived in Lisbon, my final destination. The first six months of my life in Lisbon were emotionally challenging, as I found myself in close quarters with family I hadn't lived with for a long time. However, amidst the backdrop of war and uncertainty, the charm of Lisbon, its vibrant lifestyle, diverse architecture, efficient transportation, etc., stirred a sense of euphoria within me. It marked the beginning of a new chapter, and my body and mind were fully engaged in adapting to this fresh environment.

Looking back, I recall that I had a high level of adrenaline but felt a profound calmness. This was likely due to the stark differences in Lisbon's lifestyle, urban architecture and its colorful palettes, all of which stood in sharp contrast to what I was used to. The people I met and the city's innovation in beauty and comfort played a significant role in balancing my emotional state. It's worth noting that my cousin, who lived in Lisbon, handled most household matters, which meant she met more stress than I did.

In Kyiv, my previous home, I resided in a restricted-access modernist district, the last of its kind in the former Soviet Union. It featured large proportions, broad streets, and sprawling buildings with a repetitive design. Even after living there my whole life, some streets remained indistinguishable to me. I was bothered by the time-consuming planning required for trips, given the imperfect transportation system and the absence of a subway.

The next district I lived in was also modernist, built 20-30 years earlier in the 70s. It offered a different experience with smaller-scale buildings and ample greenery between nine-story structures, giving the impression of living in a garden oasis. This district was surrounded

by a river channel, the Dniro River, and a lake, which further enhanced the sense of living in a peaceful oasis.

I appreciated the popularity of home improvement in Kyiv, particularly in my area. The district was built with economic efficiency in mind, resulting in fast and budget-friendly construction. However, it didn't account for the city's average annual temperature conditions. As a result, nearly 95% of balconies were individually glazed, each uniquely designed since there were no regulations governing this. It was similar to tight residential quarters where people built on top of one another, with superstructure balconies being a common sight.

What I loved about Ukraine was that its life infrastructure catered to locals, not tourists. While this had its drawbacks, I considered it an essential aspect. In contrast, Lisbon was appealing with its European culture and amenities, but I couldn't help but notice how the influx of tourists affected the local landscape and culture.

I admired the informality and accessibility for young people in Kyiv regarding owning real estate or renting housing. Personally, I felt a strong connection to Ukrainian culture and its way of living. Another distinction was that in Lisbon, retirees spent a lot of time outdoors, whereas in Kyiv, most of them preferred to stay at home.

Living in Lisbon for a year and a half, I have come to feel much safer, particularly from a gender perspective. The city especially at night, gives me a sense of security I didn't experience in Kyiv.

Regarding life post-war in Ukraine, I contemplate splitting my time between both countries. However, every return to Ukraine should be a chance to immerse myself in authentic Ukrainian life, language, culture, and

people. The decision between returning to a familiar life or continuing as a foreigner in an unfamiliar world remains uncertain, and doubt lingers.

Creating a family, finding a good job, economic stability, and personal safety are my priorities. But above all, my desire is to feel safe. I want to avoid occupation or similar tragic circumstances at all costs.

The individual housing style in Ukraine has always fascinated me. I appreciate homes built by people for themselves and believe it's essential to preserve this individuality rather than homogenizing the urban landscape. I am not a fan of «perfect city» projects where everything looks the same.

To achieve this, I believe a single company could organize and provide training materials for the process. However, it's crucial to cultivate a sense of responsibility among the average consumer. Thus, a platform offering resources, knowledge, education, and technical support would help popularize this idea and facilitate its implementation in our society.

”

”



Danylo, business analyst
27 years old
from: Kyiv, Ukraine
current location: Kyiv, Ukraine
status: resident

“

During the war, I faced some of my biggest challenges. One of them is closed borders (after the full-scale invasion on 24.02.2022, according to the Ukrainian legislation, during martial law, all men are prohibited from leaving Ukraine, with some exceptions).

Because now I am at the age when I have the health and financial capacity to travel, I have the desire and energy, but there is no opportunity to discover new countries, cultures, lifestyles, cuisine, etc. The lack of this has a very strong effect on my psyche.

The other two challenges are more serious, namely the fear of rockets flying at my home and the fear of being sent to the frontline. Both these options are fatal. And what scares me the most is that the war is long-lasting, and I would like to return to my peaceful past life as soon as possible.

If we talk about my daily life, it has not changed a lot, the only aspects that affect my day are the curfews and the moment during shelling, when I have to run to underground. It causes me anxiety sometimes, especially when I hear shelling and explosions nearby.

In the future, I would like to see a prosperous country without war and with a decent and affordable housing. But if we consider a scenario with a constant threat from the so-called Russian Federation, then it would be useful to have reinforced new houses with modern shelters.

”



Alex, CRM admin
26 years old
from: Crimea, Ukraine
current location: Kyiv, Ukraine
status: IDP (from 2014)

“

The office where I work has switched to remote work; my daily routine is completely dependent on shelling and air raids.

It's actually very exhausting, especially this summer (2023) there was a period of shelling almost every night that ended at 5-6 am.

We didn't sleep for weeks. That is, you spend the night in the metro or in the corridor, and then in the morning you are tired out and try to work. I feel all this like a bad dream that has not end. And what is really scary about this: I am used to it.

Sometimes I spend time outside the city, in the house with my parents. I feel a little better there, because it is calmer in general and I can sleep in the basement. By the way, even before the full-scale invasion, I was always in favor of building a basement/bomb shelter in private houses.

And in general, I notice that construction sites in Kyiv and beyond its borders are continued, but much more slowly. And so it is with everything, because we are trying to somehow continue to live a normal life.

”

THE WORK OF VOLUNTEERS OF THE «DISTRICT #1» FOUNDATION

Gostomel city



In conclusion, the crisis caused by Russian's military activities on the territory of Ukraine has had a profound impact on all scopes of Ukrainian life. The economy, infrastructure, environment, and social sphere have been affected by the war, so for approaching the solution of these problems, it was important to consider all aspects of the crisis.

Unfortunately, this war has far-reaching consequences that impact many areas of life. It is crucial that in the future specialists from various fields join forces to solve this crisis. The field of housing architecture also plays an important role in the recovery and support of the population in this difficult time.

Many people were forced to leave their homes and even emigrated abroad, or lost their homes due to the destruction caused by military operations. However,

creating affordable housing or creating conditions for obtaining housing can be one of the key factors in encouraging people to return and rebuild their lives in Ukraine.

Providing dwelling for those affected by the invasion, reconstructing destroyed buildings, rebuilding infrastructure and supporting vulnerable populations are challenging and important tasks. In addition, the environmental crisis arising from war also requires careful study and intervention to prevent further environmental disasters.

In order to achieve successful recovery and support for those affected by the war in Ukraine, one can take into account the experience of other countries that have also experienced similar crises. For example, countries that have been involved in similar conflicts or wars

have developed recovery and support strategies that include reintegration of victims into society, reconstruction of housing, and rehabilitation of infrastructure.

Examples include European countries that survived and experienced armed conflicts, the lessons they learned in rebuilding and supporting their citizens after the war can be useful for Ukraine.

It will be considered in the next chapter, as a real experience and example for the restoration of housing in Ukraine in the post-war period.

2

RECONSTRUCTION

METHOD & APPROACHES

ROTTERDAM'S RECONSTRUCTION AFTER WORLD WAR II

then and now



photo by birdinflight.com

This part on reconstruction aims to reveal a comprehensive approach to post-war residential reconstruction, based on theoretical foundations and structured methods. Reconstruction, as an important stage in the restoration of the housing stock after conflicts, requires not only the physical restoration of buildings, but also taking into account psychosocial and economic dimensions.

This chapter is devoted to the study of various practices and effective strategies that can be used in the process of reconstruction of residential objects in the conditions of the post-war period. Considering various theoretical approaches, we will try to synthesize them to create a methodology that takes into account the specifics of the situation in Ukraine.

A key aspect of the chapter will be the consideration of post-war or post-disaster reconstruction methods, in particular, their particularities. We hope to apply them to the Ukrainian reality, ensuring proper adaptation and effectiveness of the recovery of the private sector.

In this context, reconstruction is considered not only as a physical transformation of buildings, but also as an opportunity to create a new socio-cultural environment. A detailed review of theoretical and practical aspects will allow us to determine optimal strategies and alternative approaches for the implementation of the reconstruction project in the conditions of post-war recovery.

In order to systematize information and for the further selection of the approach, it was decided to refer to the classification from the study of Barakat S., (2003) in the field of housing restoration in conditions of wars, conflicts and natural disasters.

The author analyzed different approaches, including temporary and transitional housing, housing repair, constructing new housing and settlements, "building-yard" approach and finance facilitation. There are also mentioned two main methods of the implementation like contractor model and self-build model, which can be expanded to a cooperative reconstruction.

This theoretical classification is based on real experience and has its advantages and disadvantages, which are

systematically described in the scheme.

Author deeply examines the experience of different communities and their approaches to reconstruction, paying special attention to the social and cultural aspects of this process. Such an emphasis on the socio-cultural part helps in our case to establish a qualitative framework within the scope of the thesis for the future project, and to make it appropriate for Ukrainian realities as well.

It is also important to mention that, in general, interaction with volunteer and public organizations, consideration of individual needs and characteristics of communities, as well as the development of a sustainable and effective approach to housing reconstruction in crisis conditions are an integral part of the future implementation of the project.

approaches

temporary and transitional housing

- usually prefabricated, imported and designed for global use;
- intended for diverse cultures and climates;
- often turn into permanent, poor-quality settlement;
- the cost could be more than permanent housing;
- transitioning families through emergency, temporary, than to permanent residences;
- heightens trauma and bother recovery

housing repair

- the most cost-effective and rapid way to offer sufficient housing;
- less distressing for survivors;
- depending on damage scale and skills, individuals can self-repair for a quick return to normalcy, or contractors, aided by funds, can rehabilitate houses;
- repair costs are usually confined to essential works ensuring habitability

constructing new housing and settlements

- time-consuming;
- should involve full local authority participation, potentially committing them to partial or full costs;
- the risk of a mistake for rural areas, especially if city-based architects/engineers with a different understanding of housing are involved

"building-yard" approach

- affected communities can rebuild their homes independently or with local builders;
- external assistance should focus on ensuring affordable or free local access to building materials and skills-best suited for rural and suburban areas where self-building is common;
- slow results make it challenging to justify for funding agencies and target beneficiaries

finance facilitation

- similar to the building yard approach;
- finance facilitation assumes affected communities can independently plan and manage rebuilding;
- providing finance and facilitating loans for rebuilding, enhancing community-initiated processes without parallel interventions

methods of implementation

contractor model

- done by professional construction companies the easiest and quickest way to provide housing;
- 'one-size-fits-all' approach

self-build model

- done by self-help basis or as a joint community reconstruction programme;
- meet the needs of individual families;
- cheaper compare to contractor-build model;
- restoring a sense of pride and well-being in people who have been through a trauma

cooperative reconstruction

- alternative to self-help housing is to mobilise a community;
- reconstruction is undertaken for the entire community;
- guarantees help for vulnerable people



Examples of different methods and approaches after WWII


 erected prefab houses across the UK after WWII

photo by startsat60.com


 self-build dwelling by Walter Segal method, London, 60s-80s

photo by themodernhouse.com




 emergency village Smeetsland, Netherlands, 1940

photo from Archive Hans Grootenhuijs

 reconstruction of the historic center of Warsaw, Poland

photos by insider.com

 construction of the new massif in Kyiv, 1958

photos by babel.ua

In order of the preliminary research conducted in the first chapter and the methods of housing reconstruction after conflicts and natural disasters in the second chapter, it becomes obvious that the issue of reconstruction is an integral part of modern humanitarian recovery in Ukraine. In particular, the work of Barakat S., (2003) provides a valuable contribution to the theoretical classification of methods, and also emphasizes the importance of taking into account socio-cultural aspects in the reconstruction process.

The experience of housing construction after the Second World War shows the diversity that has been described before. This indicates that the housing crisis at that time was very acute, urgent and timely, that is why there were so many different types of housing reconstruction or new dwelling construction. It is

possible that all these approaches have the right to exist in the case of post-war times in Ukraine. In the post-World War II era, Ukraine, previously annexed to the USSR, experienced a lack of individuality in housing matters. Decisions regarding where and how people lived were determined by the Soviet state machinery, which operated under a centralized system. This resulted in a notable absence of individual choice or expression in residential matters.

However, when analyzing the Ukrainian present, it becomes obvious that in the future a large part of housing will be built «from scratch» due to the complete destruction in many front-line cities, caused by military actions that are going on the territories. This approach is necessary to restore the infrastructure and create housing for the population. In our thesis, we aim to focus on

an alternative method, namely the self-build method, considering it as a sustainable and human-oriented approach to housing construction. Taking into account the socio-cultural features of Ukrainian society, we see in self-construction an opportunity to ensure not only the effective restoration of housing, but also to promote the involvement of citizens in active participation in this process. Because even if we consider the time frame relatively not far from today, namely the years of Ukraine's independence (since 1991), we can find examples of self-building in different parts of the country.

Next, we will consider Ukrainian families, as well as conduct an analysis of the questionnaire, which will be included in our work. We plan to find out how Ukrainian residents are ready to participate in the construction of

their own housing, to determine their preferences and inclinations. This will allow us to draw conclusions about the suitability of an alternative method of self-construction in the conditions of the Ukrainian reality and develop a design proposal for the project.



3

FAMILY

A PORTRAIT OF DIVERSITY

«PEASANT FAMILY» BY TARAS SHEVCHENKO, 1843



«Ukraina, Ukraina!
Mother, mother dearest!
When I but recall your fate
My heart is all weeping!»

from the poem «The night of Taras», 1838 by
Ukrainian poet, artist, public and political figure
Taras Shevchenko

“War destroys the home and family. Without the home there is not much left of the family. Without family one lives in liminal permanence.”. . . “All of that – environment, house, things in the house and we – exists entangled into a poetic single form to design familiar experience or what is called: home.”

Jesenko Tesan, sociologist, 2021

The obvious and specific unit for which housing is oriented is the family. But, if the family is a specific structure that does not necessarily consist only of parents and children, then what are the peculiarities of the Ukrainian family?

This chapter is dedicated to the study of the Ukrainian family, its characteristics and characters or «personas» (the public image of one’s personality, the social role that one adopts), and the challenges it faces today.

In this chapter, we will consider official statistics regarding the Ukrainian family, its size, composition, and trends. However, for a deeper understanding of the situation and the formation of a full-fledged map of the Ukrainian family, we decided not to limit ourselves to numerical indicators from official statistics. Our goal is to understand how

real people experience and perceive today’s situation as well in the context of building a new home or restoring an old one.







Therefore, in addition to analyzing statistical data, we conducted a small survey that covered 160 different people from Ukraine. This is not a mass survey, but it provides us with valuable information that can be analyzed and used to create a deeper understanding of the situation. The variety of responses and perspectives of the survey participants helps us see a broader picture of Ukrainians.

The task is to see the true face of Ukrainians through the voices of its members. And this makes the approach more human and deep, because a family is not just a statistic, it is a collection of life stories, feelings and dreams.


PERSONAS

Ukrainian family

According to official statistics, there are over 14.9 million families in Ukraine. The modern Ukrainian family and its functions are characterized by different trends that affect the changes and development of relations in society as a whole.



family locality



housing




The majority of rural and urban families, have their own housing (95%). And only 4% rent a house or apartment.


In general, urban families tend to have a more progressive outlook, while rural families often have a more traditional and conservative way of living.

Extended family members are also often an important part of Ukrainian family life. It is common for family members to live close to one another and to maintain close relationships, even as children grow up and move out of the family home.

average monthly income per person (data 2021)




number of family members



number of children in families



average number of children




More than a third of Ukrainian families are families consisting of only two people. These can be childless couples, couples whose children have grown up and single mothers of fathers with one child.


Therefore, Ukrainian family of 3 people has a total income of 30-40K UAH. About half of this income is spent on food, about 15% on utility bills, 5% on transportation, 4% on medical expenses etc.

In fact, during the war the number of marriages in Ukraine has significantly increased and the number of divorces has decreased, despite stress and forced separation from loved ones.

birth rate




marriages & divorces




source:
The State Statistics Service
<https://www.ukrstat.gov.ua/>
Ministry of Justice of Ukraine
https://minjust.gov.ua/actual-info/stat_info

SURVEY

the processed responses of Ukrainian citizens (around 160 people) were made using an online questionnaire about their thoughts and preferences in the private housing sector




Has your home or the home of your family been damaged due to Russian-Ukrainian war?



Do you have experience in self-construction?



Have you considered building your own home if you had access to the necessary resources and guidance?




Would you be interested in getting a guide or guide to building a sustainable home yourself?



Would you be interested in participating in workshops or training sessions related to sustainable construction?



Are you interested in rebuilding or building a new house of your own in Ukraine in the future?



MOTIVATION

- Ukraine's victory in the war, safety
- desire to have a comfortable house
- sufficient financial status
- sufficient amount of free time
- real examples with real costs
- available resources, financial savings

OBSTACLES

- war
- unstable economic situation
- few implemented examples
- free time
- corruption and laws
- bureaucracy

* main responds of open questions

The diagrams show us the output of the participation of around 160 Ukrainians in the survey. The main aim was to study the adequacy of the proposed work.

In the questionnaire participated people of different ages, mostly those who used to live in the cities, some of them also have damaged houses due to the Russian-Ukrainian war (17,9%).

The part about creating a new house in Ukraine in the future shows that the majority of people are interested in the implementation, but it should also be taken into account that the people of the age category of 20-29 and 40-49 have sufficient percentage of doubt.


Obstacles and motivation are related to each other in the case of building a new house, especially in current war conditions and desire of safety, the same with the present unstable economic situation in Ukraine and the

ability to have a sufficient financial level. Also significant part of the answers is related to having a real example of the project.


In the case of real experience of self-building only 1/3 has it. Still, on the other hand, the majority is interested in self-building if there is a necessary guideline and participation in the relative workshop.

Similar situation with the proposal for sustainable houses. The majority is ready to do sustainable and ecological homes, even if they have just general knowledge about it.

The analogous situation with materials, where is a lot of people are ready to use sustainable materials, even partly. But from the graph of the preferences of materials it is clear that more popular are those, which are already known and mass-used.



Are you ready to use environmentally friendly or local materials to build your home?



4

PLOT

STREETS OF MARIUPOL CITY BEFORE AND AFTER FULL SCALE INVASION 24.02.2022



"We are people who only know the land! It is black and our hands have become black from it, but it is still holy."

from the novel «Land», 1902 by Ukrainian modernist writer and feminist Olga Kobylivanska


A plot of land is not only a place for housing construction, but also the creation of a special environment for family happiness and development.

Plots in Ukraine are more than just piece of land. They are important symbols that reflect the individuality and ambitions of each family. As written by Kostytsia N. (2015) according to the belief of the ancient Ukrainians, the earth (land) was considered not just a place of residence, but also marked as a transitional territory between eternal worlds, which include life and death, good and evil. In this context, the cultural experience of common perception of the land as a key element of the surrounding world and the basis of the national landscape, the way of management and, accordingly, general well-being, is clearly revealed.

The chapter about the plots is important for understanding the beginning of the process of creating or restoring a «family nest». Without the piece of land is impossible to create your future house. Therefore, opening this topic, we will consider various aspects of land plots in Ukraine. We will find out what they are, what activities can be conducted on them and what opportunities they open up for their owners. Legislation and regulations related to land ownership is also a significant topic for the research.

CADASTRAL ANALYSIS

source: open data of the land cadastre of Ukraine, kadastr.live



PLOT ACQUISITION

steps and possible solutions for obtaining the land plot in Ukraine

Acquiring land in Ukraine involves specific rules and requirements, which can vary based on the type of land and the purpose of acquisition.


In the case of the free acquisition of the plot, the main challenge is the finding and selection of the available, and then applying for ownership through the relevant authority.



01

02

According to the Land Code of Ukraine (art.121), a plot can be obtained in 3 ways: purchase, lease and free purchase from the state.



Ukrainian citizens, legal entities registered in Ukraine, and stateless individuals with permanent residence in Ukraine generally have the right to acquire agricultural land. However, there was a moratorium on the sale of agricultural land, which meant agricultural land could not be sold, only leased.

It's crucial for anyone interested in acquiring land in Ukraine to conduct thorough due diligence, seek legal assistance, and comply with all local regulations. Land acquisition regulations may vary in different regions, and it's essential to consult local government offices and legal experts for the most up-to-date and accurate information regarding land acquisition in Ukraine.

source: The Land Code of Ukraine Information of the Verkhovna Rada of Ukraine (VVR), 2002, No. 3-4, Article 27

ORGANIZATION

of the plot

The concept of a yard covers housing, farm buildings and a small production site adjacent to them. Together with the garden and vegetable garden, such a yard formed a homestead. The structure of the homestead, its size, configuration, location in the settlement depended on both geographical and socio-economic factors. However, in the most cases the concept of the plot arrangement is similar in the majority of the regions with different deviations.

homestead

- 1 house
- 2 water well with flower beds
- 3 backyard
- 4 vegetable gardens, greenhouse, beehives etc.
- 5 parking place



garages and utility buildings

- 6 barn
- gardening
- 7 fruit garden

agricultural site

- 8 farming: vegetable patches, domestic livestock etc.
- 9 field work

minimum distance from the fence



Agriculture plays a significant role in village life, and many households maintain vegetable patches within their plots. These patches are used to grow a variety of crops, including potatoes, cabbage, carrots, and beets, which are staples of Ukrainian cuisine. In some plots, separate areas are designated for keeping livestock such as chickens, cows, pigs, or goats. These areas may have small shelters or barns to provide shelter for the animals.

The village plots in Ukraine often have a central courtyard or «dvir» surrounded by the house and other outbuildings like barns and storage sheds. The courtyard serves as a functional space for various activities and may include a well for water supply. Many households also have gardens within their plots.

Fruit garden are commonly found in Ukrainian village. Apple, pear, cherry, plum, and apricot trees are often planted in orchards, providing fresh fruits for personal consumption or for sale in local markets.

5

CLIMATE SENSITIVITY

IN BUILDING DESIGN

ART INSTALLATION «HOME. MEMORIES» AT THE ANTARCTIC RESEARCH BASE «AKADEMIK VERNADSKY»

for the 160th anniversary of the birth
of the Ukrainian scientist, done by
Balbek Bureau, March 2023



“The task of a person is to provide the
greatest possible benefit to others.”


Volodymyr Vernadsky
Ukrainian scientist and philosopher

In this chapter, we unravel the climate
of Ukraine and its importance for the
formation of traditional folk architecture.
The climate not only determines the
customs and daily rhythm of life, but
also has a direct influence on the
architectural solutions that arise in
different regions of Ukraine.

The lands of Ukraine are subject to
significant climatic variations, from the
cold north to the warm southern coast.
This variety of natural conditions and
changes over the centuries prompted
the development and adaptation of
architectural solutions that take into
account climatic features. We consider
how traditional Ukrainian architecture
adapted to climatic conditions and
what was used for this.

We will focus special attention on
three regions of Ukraine, which are

located in different climatic zones and,
unfortunately, have a sufficiently high
level of destruction due to the war. Given
these practical challenges, we will also
consider the characteristic architectural
features of these regions. This data is a
step towards the further development
of the architectural project, as it helps
to take into account the unique features
that must be taken into account in the
design process, ensuring a harmonious
interaction with the environment and
cultural heritage.



CLIMATE OF UKRAINE

The climate in Ukraine is diverse and has significant differences depending on the area. According to Köppen's classification of climates in the country, there are at least 7 types of climate, which are traditionally grouped into four climate zones: continental climate (D), temperate climate (C), dry climate (B) and polar climate (E).

The borders between different climatic regions are unclear and flow smoothly from one type to another, which is due to the country's large territory and mostly flat topography. The climate of Ukraine is constantly changing due to global warming. The continental climate zone, which covers most of the territory of Ukraine, is significantly reduced in size every year and is replaced by a moderate and dry climate that extends only to the south of the country. The polar climate zone occurs exclusively on the highest peaks of the Ukrainian Carpathians.








photo by Prokudin-Gorskiy, 1910s



south orientation



buffer zone



source: profilbaru.com

VERNACULAR TECHNIQUES & BIOCLIMATIC STRATEGIES

It is important to approach traditional Ukrainian architecture using a variety of strategies and techniques that can be integrated and adapted in the context of modernity. Exploring this heritage can lead to the production of valuable innovative approaches.

Referring to research of Sarara, W (2018), Ukrainian vernacular architecture like central European architecture adapts to the region's climate, which experiences significant seasonal variations. Houses combine northern features like compact design, insulated walls, and sloped roofs with southern elements like sun protection through overhangs. Orientation is often determined by the sun's path, with the longer facade facing south in areas with calm prevailing winds. Houses typically have stone foundations or raised stone basements, creating

a thermal buffer zone. Heating comes from hearths or kitchen stoves in the center or living room. When not in use, chimneys act as wind-catchers, for cooling.

Buffer zones like hallways prevent cold air from entering when opening doors. Few windows, mostly facing south for heat and light, are used, while north façades remain windowless for pantries.

Sloped roofs with varying angles and thatch or wood materials protect against precipitation. The space beneath the roof acts as an insulating buffer zone from cold and wind.


Next, 3 Ukrainian regions, their climatic features and examples of modern rural architecture where elements of traditional architecture have been preserved will be considered.



archive photo




thermal barrier




summer & winter radiation



source: rozmova.wordpress.com



source: pslava.info



heating & cooling



rain & snow protection




archive photo

schemes by Sarara W., "Bioclimatic principles in vernacular architecture", 2018


further overall project design solutions

sun & wind orientation




- buildings should be designed with their longer sides facing south to maximize exposure to sunlight during the colder months, reducing heating needs

building shape




- in order to make the building energy efficient, it can be protected from the prevailing winds

materials




- using materials local materials with high thermal mass helps regulate indoor temperatures by absorbing and releasing heat slowly

shading



- employing external shading devices like eaves, awnings, or pergolas can prevent excessive solar heat gain in the summer while allowing sunlight in during the winter

vegetation



- deciduous trees can be used to provide shading in the summer and allow sunlight to enter in the winter.

water collection



- collecting rainwater for non-potable uses, such as irrigation or toilet flushing, can reduce water consumption and strain on municipal water supplies.

CHERNIHIV REGION



general information:

location: North Ukraine

administrative center: Chernihiv

largest cities: Chernihiv, Nizhyn, Pryluky

territory: 31 903 km²

population: 959 315 (2022)

districts: 22

cities (total): 44


regional cities: 3

urban-type settlements: 34

villages: 1494



Belarus



legend:

- region borders
- roads
- railways
- emerald network
- cities, towns
- destroyed facilities as of November 2023

50 km

CLIMATE OF CHERNIHIV REGION

In Ukraine's far north, the Chernihiv region covers 31,903 km²

Climate:

- the average annual temperature is 6 °C/8 °C;
- the coldest month- January, with an average of -6 °C/ -7°C, July- the hottest with an average of 19°C/20°C;
- snow cover stabilizes from late Nov-Dec till Feb-Mar at 8-16 cm in average;
- total annual precipitation ranges from 594-676 mm, peaking in Jun-Jul, dropping in Jan-Mar;
- west and south winds at 3-4 m/s are common;
- maintains 75-80% humidity annually, with 20-44 days per year below 30%.

Its unique location leads to extreme weather: winter brings winds, ice, and fog, while summer delivers heavy rain, thunderstorms, and hail.

climate:

average, high and low temperature



-moderate continental climate with cold winters and warm summers (Dfb)

wind speed



-the windier part of the year: October-April

average, monthly snowfall and rainfall




- rainy period: February- December (10 months)
- snowy period: November - April (5.2 months)

relative humidity



- average annual percentage of humidity: 76%;
December- the most humid month (88%)
May- the least humid month (64%)

passive strategies for the region:



possible building local materials:


- wood (framing/ cladding/ interior finishes)
- clay (adobe bricks)
- limestone, sandstone (constructions)
- straw, reed (insulation)
- concrete (20th century)

structures:

- timber frame construction
- stone construction
- brickwork
- concrete block construction

CHERNIHIV REGIONAL HOUSE ARCHITECTURE

- wooden structures made from local materials
- location and general proportion taking into account geographical conditions, with windows facing south to preserve heat in winter
- peculiarity of verandas as the buffer zone for cold seasons, which overlook the courtyard
- buildings can be decorated with wooden decorative elements such as patterns and laces



↑ **Chernihiv city**
photo by birdinflight.com

→ **Novhorod-Siverskyl town, Chernihiv region**
photo from "List of sights of Novgorod-Siverskyl District"

↓ **Village in Pryluky town area, Chernihiv region**
archive photo (1921)



← **Chernihiv city**
photo by birdinflight.com

↓ **Novhorod-Siverskyl town, Chernihiv region**
photo by "List of sights of Novgorod-Siverskyl District"

↓ **Novhorod-Siverskyl town, Chernihiv region**
photo from archive of the sale advertisement



← **Village in Pryluky town area, Chernihiv region**
photo from archive of the advertisement for sale

→ **Village in Novhorod-Siverskyl town area, Chernihiv region**
photo from archive of the advertisement for sale



KHARKIV REGION

general information:

location: East Ukraine
 administrative center: Kharkiv
 largest cities: Kharkiv, Iziium, Lozova
 territory: 31 415 km²
 population: 2 598 961 (2022)

districts: 25
 cities (total): 76
 regional cities: 7
 urban-type settlements: 61
 villages: 1508



CLIMATE OF KHARKIV REGION

Kharkiv region covers 31 415 km in the east of Ukraine.

Climate:

- the average annual temperature is 8 °C;
- the coldest month- January, with an average of -7°C, July- the hottest with an average of 20°C;
- snow cover stabilizes from late Nov-Dec till Feb-Mar at 7-14 cm in average;
- total annual precipitation ranges from 457-569 mm, peaking in Jun, dropping in Jan-Feb;
- west and east winds at 4 m/s are common;
- relative humidity with a pronounced minimum in May (up to 60%) and a maximum in winter (Dec-Jan up to 85%).

The region's climate varies from north to south, with the northeast being the coldest and the southeast the warmest, but temperature differences are slight.

climate:

average, high and low temperature



-moderate continental climate with cold winters and warm summers (Dfb)

wind speed



-the windier part of the year: November-April

average, monthly snowfall and rainfall




- rain falls throughout the year; the most rainy: June
 - snowy period: November-April (5.1 months)

relative humidity



- average annual percentage of humidity: 72%;
 December - the most humid month (87%)
 May - the least humid month (57%)

passive strategies for the region:



-orientation: maximization of south-facing for passive solar heating

-prevailing winds should be taken into account for future development

-shape and openings (roofs with steeper slopes, high-performance windows)
 -envelope to absorb and store heat effectively, prevent moisture's entering the building, reflective roofing materials

-natural ventilation
 -windbreaks: trees, shrubs
 -external shading devices

possible building local materials:

- timber (framing/ cladding/ interior finish)
- clay (bricks)
- limestone, sandstone (constructions)
- straw, reed (insulation)
- concrete (20th century)

structures:

- timber frame construction
- stone construction
- brickwork
- concrete block construction

legend:

- region borders
- roads
- railways
- emerald network
- cities, towns
- destroyed facilities as of November 2023

50 km



KHARKIV REGIONAL HOUSE ARCHITECTURE

- style with symmetrical facades, stone structures and colonnades with a larger architectural scale
- use of stone materials, such as granite and limestone, to construct buildings
- architectural features include verandas and galleries adorning the facades of the buildings

stove pipe

pitched roof
steel metal tile


uninhabited attic

brick veranda

clay brick/ stone block walls
with plaster finishing

window framing
wooden decor

stone / concrete
foundation



← **Pysarivka village, Zolochiv community, Bogodukhiv district, Kharkiv region**

photo from facebook group of museum "Ukrainian Sloboda"

Bogodukhiv town, Kharkiv region →

photo from archive of the sale advertisement ↘

↓ **Chuhuiv town, Kharkiv region**

photo from "Art-memorial Museum of I. Repin", repin.in.ua/en



↑ **Izium town, Kharkiv region**

photo from archive of the sale advertisement

Pysarivka village, Zolochiv community, Bogodukhiv district, Kharkiv region →

photo from facebook.com, group of museum "Ukrainian Sloboda"

↓ **Krasnohrad town, Kharkiv region**

photo from archive of the sale advertisement




← **Murafa village, in Bogodukhiv district, Kharkiv region**

photo from ukwikipedia.org

Kuplansk town, Kharkiv region →

photo from archive of the sale advertisement





CLIMATE OF MYKOLAIV REGION


Mykolaiv region covers 24 598 km² in the south of Ukraine.

- Climate:**
- the average annual temperature is 8 °C;
 - the coldest month- January, with an average of -7°C, July- the hottest with an average of 20°C;
 - snow cover stabilizes from late Nov-Dec till Feb-Mar at 9-11 cm in average;
 - total annual precipitation ranges is 330mm (South) and 450mm (North), peaking in Jun, dropping in Jan-Feb;
 - south and east winds at 4 m/s are common;
 - relative humidity with a pronounced minimum in May (up to 72%) and a maximum in winter (Dec up to 86%).

The region borders on three sides of the world with other regions of Ukraine, and in the south its territory occupies several hundred kilometers of the coastline of the Black Sea and its estuaries.


climate:

average, high and low temperature



-continental climate, steppe climate with cold winters and hot summers (Dfb, Dfa, Bsk)

wind speed



-the windier part of the year: October-April

average, monthly snowfall and rainfall



- rainy period: from February to January (11 months)
 - snowy period: November - March (4.6 months)

relative humidity



- average of annual percentage of humidity: 74%;
 December- the most humid month (87%),
 May- the least humid month (62%)

passive strategies for the region:



-orientation: maximization of south-facing for passive solar heating

-prevailing winds should be taken into account for future development

-shape and openings (roofs with steeper slopes, high-performance windows)
 -envelope to absorb and store heat effectively, prevent moisture's entering the building, reflective roofing materials

-natural ventilation
 -windbreaks: trees, shrubs
 -external shading devices

possible building local materials:

- wood (framing/ cladding/ interior finishes)
- clay (adobe bricks)
- limestone, sandstone (constructions)
- straw, reed (insulation)
- concrete (20th century)

structures:


- timber frame construction
- stone construction
- brickwork
- concrete block construction

MYKOLAIV REGIONAL HOUSE ARCHITECTURE

- brick and stone are the materials, which mostly used for construction, which give buildings strength and resistance to environmental influences

- in the design of buildings, large windows and balconies are often found, which give the building space and light; veranda is a places for rest in the summer

-buildings can be decorated with brick decorative elements such as patterns and carvings



← **Mykolaiv city**
photo by archmykolaiv.com



← **Mykolaiv city**
photo by archmykolaiv.com

→ **Myhla village, Mykolaiv region**
photo from archive of the sale advertisement

↓ **Pervomaisk town, Mykolaiv region**
photo from archive of the sale advertisement



↑ **Mykolaiv city**
photo by archmykolaiv.com

→ **Pervomaisk town, Mykolaiv region**
photo from archive of the sale advertisement

↓ **Bashtanka town, Mykolaiv region**
photo from archive of the sale advertisement



← **Voznesensk town, Mykolaiv region**
photo from archive of the sale advertisement



6

BUILDING RESOURCES

MATERIALS & ELEMENTS



source: pokrovzsk.com.ua

This chapter on building materials, land use, soils and foundations aims to reveal important aspects related to possible sustainable construction in Ukraine.


Building materials and methods of their use play an important role in our gradual efforts to reduce carbon dioxide emissions and preserve the environment. In the conditions of post-war revival and deepening development of environmental awareness, it is extremely important to be attentive to local resources and materials that are available for construction. This means exploring the possibilities of using forests for wooden building elements, using local materials to reduce carbon dioxide during transport and production, etc.

In light of global warming and environmental challenges associated

with wartime events, we must adapt our construction methods and choice of materials to preserve Ukraine's diverse and valuable nature.

Approaches to the construction of foundations should also be individualized, since our country is distinguished by a variety of soils and climatic zones.

In this chapter, we consider to take into account environmental aspects and natural resources.




MATERIALS

In pre-war times, Ukraine produced a variety of building materials, such as various types of cement, colored ceramic tiles, ceramic sanitary ware, glass products for heat and sound insulation, glass blocks, components made of dense and porous silicate concrete, as well as polymer building materials and many other similar products.

In 2020, forests in Ukraine amounted to 10.4 million hectares, of which 9.6 million hectares were covered with forest vegetation. Over the past 50 years, the supply of wood has tripled. Reforestation occurs through restoration of former forest and afforestation of degraded lands. Most forests in Ukraine have a limited raw material base, with the dominant tree species being pine, beech, oak and spruce. Harvesting of forest resources satisfied about a third of the needs of the national economy.

The charts show the significant industrial decline that occurred in 2022 due to the war.



FOUNDATIONS


Foundations play a key role in the reliability and stability of buildings. Ukrainian construction practice uses different types of foundations depending on the geological conditions and purpose of buildings.

The strip foundation is one of the common types, it provides an even distribution of the load for the stability of smaller and medium-sized buildings


The slab foundation is a flat structure that distributes the load evenly, ideal for large buildings.

Pile foundation - pillars (piles) are driven deep into the soil for support, used on unstable soils or with high groundwater levels.

Columnar foundation - vertical pillars are used as a support, used to raise buildings above ground level.



sources:
foundationhandbook.com/gov
 Basics and foundations, summary of lectures;
 Kharkiv National University of Urban Economy




In the final conclusion of this part, it can be compared to a narrative where each chapter is a separate stage of our journey of building a new home.

We initiated our journey by researching the events of war, their impact on buildings, the environment, family groups and their housing needs. Next, we focused our attention on what we needed to create a new place. Namely, they considered the procedure for obtaining land plots and the activities that can be conducted on them.

In the course of our research, we got acquainted in detail with the principles of architectural design and its compliance with climatic conditions. We carefully considered the characteristics of different regions of Ukraine that will be chosen for the implementation of our project, taking into account their characteristics and needs for adaptation to specific climatic conditions. The last stage of the research was the analysis of the local production of building

materials, since one of the central goals of this project is the development of a sustainable approach to self-construction.


As a result, we advance to the next key stage in the implementation of our project - the design part. The principle goal of this stage is to create a simple and adaptive design that takes into account the accumulated knowledge and remains accessible for construction even by those with limited experience in the field. As the survey showed, people are still ready to fight for their future comfort and even for this to learn something new in construction, so we focus our attention not on the mass stamping of a typical project, but on a more humane approach, where there is an opportunity to choose what is more taken care of. We develop our project taking into account all the aspects that were studied during this research, and move towards our main goal - creating housing that satisfies the individual needs and capabilities of Ukrainians.



7

PROJECT PART

DESIGN & CONSTRUCTION
OPTIONS



Here we start to develop the design part of our project, which includes several important aspects. We begin with the possible organization of the site, which is directly related to further construction. It is important to carefully consider all possibilities and limitations in order to ensure maximum functionality and convenience when placing a house on a plot of land.


Next, our project involves considering the possible evolution of the house. Namely, the development of possible additions and extensions that can be performed later, after main volume of the house is done. With the development of the family or changing needs, situations may arise when it is necessary to expand the living space. We will consider various options and design solutions for such situations to make the house as adaptable as possible.

Next part of our work is the development of detailed drawings and plans that allow us to bring our project to life. We take into account all the accumulated knowledge and recommendations, and try to ensure the maximum efficiency and ergonomics of the space.


Our goal is to create housing that perfectly meet the needs and capabilities of modern families, integrating practicality and comfort into their everyday life.

PLOT ZONES option 1

The size of the house can vary in width and length depending on the amount of space required, the composition of the family and their preferences. In this scheme, the optimal areas of the premises are indicated.




option 2





HOUSE EVOLUTION

general planning solution




total area - 60.5 m²




1 terrace - 15.2 m²



2 living space - 40.8 m²



3 bathroom - 4.5 m²




4 terrace - 6.2 m²




5 veranda - 9 m²




6 living room and kitchen - 20.8 m²



3 bathroom - 4.5 m²



8 bedroom - 20 m²



4 terrace - 6.2 m²



9 hall - 3 m²



6 living room and kitchen - 20.8 m²





3 bathroom - 4.5 m²



10 bedroom - 10 m² x 2




11 storage - 4.6 m²



12 room - 12 m²

total area - 72.5 m²





12 room - 15.8 m²




13 dining room - 9.3 m²

total area - 85.6 m²





12 room - 14 m²




14 dining room - 6 m²

total area - 80.5 m²



12 room - 14 m²




14 dining room - 6 m²

total area - 80.5 m²

developed options

* The size of the house can vary in width and length depending on the amount of space required, the composition of the family and their preferences. In this scheme, the optimal areas of the premises are indicated.


future extension




15 bathroom - 4.5 m²




14 hallway - 6 m²




16 room - 14 m²



total area - 100.5 m²




17 room - 14 m²




14 hallway - 6 m²




total area - 92.5 m²




18 additional house > 60 m²



total area > 150 m²



18 additional house > 60 m²



total area > 150 m²

Tailored to accommodate varying needs and preferences, our design concept envisions a flexible design solution. At its core, we have carefully developed the initial general module of optimal dimensions of 7.2x8.4 m. This core serves as the foundation from which the house can organically expand in size and functionality, adapting seamlessly to the evolving requirements of its occupants. By tailoring the size and functionality of the house to the specific requirements of individuals, our approach ensures a seamless blend of practicality and aesthetics.

In this innovative approach, individuals have the freedom to select from diverse layout options right from the outset. Alternatively, should the need arise, they can easily attach additional blocks at a later stage. This flexibility empowers residents to create their living spaces,



ensuring that their homes grow with them, embodying a perfect blend of versatility and personalized comfort.

Thus, by providing a harmonious blend of versatility and individual comfort, our design concept ensures that residents not only find a house but a true home that evolves alongside their lives, embodying the perfect synergy of innovation and personal expression.


EVOLUTIONARY FUTURE OF HOUSING

option 1


This proposal is based on the concept of an extension to the entrance part of the building. Such a solution is possible only if there is sufficient space in front of the house on the plot.




In the initial version, a small block can be attached, which can later connect another residential block, or which can serve as an extension of an existing house (for example, a storage room, an extended veranda, a summer kitchen, etc.)



Then it is possible to build a full-fledged house, which will be connected to the original house through the extension of a small block. This house offers the potential for further expansion, contingent upon the size and layout of the plot permitting such modifications.





This solution is a similar solution No. 2 of building a full-fledged house, only in a different direction. It all depends only on the capabilities and organization of the site.





Another potential option involves attaching a terrace connected to a veranda, whether concealed or open.

option 2



The proposal revolves around extending the backyard section of the structure. This option is viable given an ample space available behind the existing house on the plot.





Firstly, a compact module can be affixed, providing the option to link to another residential unit or function as an expansion of an existing dwelling (such as a living room, storage space, etc.).



Afterward, there is an option to construct a complete house, linking it to the main residence through the extension of a small block. This house also offers the potential for further expansion, usually the space behind the house in the yard is much larger than the space in front of the house, which allows for much more options for construction.





This approach mirrors Solution No. 6 for creating a complete house but in a different orientation.





An alternative possibility includes adding a terrace that connects to the backyard, whether it's hidden or open.

option 3





This proposal suggests the incorporation of additional blocks on the sides of the house.



In the cases 9 and 10, an additional residential module can be attached to one of the sides of the building (it can be as one room, or a full-fledged residential module with a kitchen, bathroom and living rooms).



This approach involves adding blocks on both sides of the house.



Examples No. 12 and 13 illustrate scenarios where a house extension can occur in multiple directions. This expansion choice is viable for sufficiently spacious plots.

CONSTRUCTION OPTIONS


Construction practices and techniques in Ukraine exhibit significant diversity, shaped by a myriad of factors including regional preferences, available resources, and project requirements. Within this diversity, two primary categories emerge: lightweight construction and heavyweight construction.

In the realm of lightweight construction, timber-frame technologies are mainly used, at the same time, technologies for the manufacture of prefabricated wooden structures are also becoming more widespread. In contrast, heavyweight construction methods hold sway in the form of masonry and precast reinforced concrete techniques. These robust techniques are well-suited for structures requiring substantial strength and durability, ensuring the integrity of buildings in diverse environments and applications.

The rich tapestry of construction practices in Ukraine reflects the nation's adaptability, blending time-honored techniques with cutting-edge innovations to create a vibrant architectural landscape.

*** It is important to note that in rural areas, construction practices might vary based on local resources, building traditions, and the preferences of the homeowners. Since rural areas are often more remote, modern construction materials and methods might be less accessible or used primarily in larger towns and cities.**

LIGHTWEIGHT construction





timber-frame structure

is used in the most forested regions in Ukraine particularly in the northern part. It is often popular in rural and suburban settings where the availability of local timber resources make it a practical choice. Pine and spruce are commonly used for the structural frame, while other local materials such as straw or reed can be used for insulation. This technique offers several advantages, including environmental sustainability, energy efficiency, and cost-effectiveness.


prefabricated timber structure

has gained popularity all over the world, including Ukraine, due to its efficiency, speed of construction, design flexibility, environmental friendliness and profitability, and is more used in the north of Ukraine due to the availability of construction resources. In addition, quick assembly and disassembly make this technique more convenient for both temporary use and long-term housing.




roof

upper-slab




planning solution



slab

foundation

HEAVYWEIGHT construction




masonry structure

is a popular construction technique in the North of Ukraine due to the abundance of clay in the region. The fired clay bricks are stacked and bonded together with mortar to create walls and other structural elements. Brick houses are known for their durability, thermal insulation, and aesthetic appeal, making them a popular choice for private residences.




precast concrete structure

is widely used in Ukraine, both for private and public construction projects. This method has a number of advantages, such as increased economic efficiency, improved quality control and reduced construction time. This type of construction technique is more popular in such regions as Kiev, Kharkiv, Lviv and Odessa, as well as in the seismic zones of the Carpathian region and near the Black Sea.




LIGHTWEIGHT CONSTRUCTION

structural schemes



HEAVYWEIGHT CONSTRUCTION

structural schemes



WOOD - FRAME

construction

location: Chernihiv & Kharkiv regions

construction time:
 foundation - 3-4 weeks
 frame structure - 2 weeks
 insulation - 1 week
 finishing - 2 weeks

* It is important to note that the construction time can vary and depends on many factors, such as weather conditions, time of year, availability of materials, etc. So, this diagram shows the average time values.

02

2-3 persons
do-it-yourselfers / professionals


-  slab structure
-  slab insulation
-  floor finishing

The filling of a monolithic slab can be carried out after 7-14 days after the filling of the strip foundation. After 14 days it can be possible to move to the next construction stage.

In the context of pile foundations, it is crucial to observe a waiting period of 7-14 days after the concrete pouring process. Once this duration has elapsed, construction can commence on framing the floor.

01

3-4 persons
do-it-yourselfers / professionals

-  foundation construction
-  insulation of the foundation

materials & time

floors

reinforced concrete slab - 2 weeks


insulation - half day
 - expanded clay pellets
 - EPS, XPS

floor finishing - 2-3 day
 - waterproofing barrier
 - OSB sheathing
 - floor finishing (parquet / tile)

floor framing - 2-3 days
 pine / spruce / fir / larch
 150x50mm

wooden slab insulation - 1 day

- straw / linen } natural
- wood wool slabs
- sheep wool
- glasswool } mineral
- rockwool



floor framing


floor finishing 30mm
 OSB board 22mm
 polyurhylene sheet
 floor joist 150x50mm
 insulation 150mm
 vapour retarder 6mm
 sill plates 150x50mm
 waterproofing
 foundation

foundations

strip foundation
 concrete strip - 2 weeks /
 concrete block - 2 weeks

insulation - half day
 - foamed cement (gasbeton)
 - glasswool
 - EPS, XPS

protection board 20mm
 strip concrete foundation
 anchor bolts
 rigid insulation 50mm
 vapour retarder 6mm
 concrete slab




concrete slab

floor finishing 30mm
 OSB board 22mm
 polyurhylene sheet
 concrete slab 150mm
 vapour retarder 6mm
 rigid insulation 50mm
 foundation

references

3rd edition: Graphic guide to Frame Construction, Rob Thallon
 Canadian wood-frame house construction, Canada Mortgage and Housing Corporation, <https://www.cmhc-schl.gc.ca>
 Foundation Design Handbook, <https://foundationhandbook.ornl.gov/handbook/toc.shtml>



There are several types of home heating:
 - electric / gas boiler;
 - central heating system;
 - underfloor heating system;
 - fireplace / stove

The type of heating is selected based on the specific case. In this version, a heating option is presented using a underfloor heating system and wood-burning stove. In turn, the installation of a gas boiler is the optimal solution.

03

3-4 persons

do-it-yourselfers / professionals



walls

wall framing - 1 week

pine / spruce / fir / larch
walls: 150x50mm
columns: 200x200mm
beams: 200x50mm, 150x50mm


wall insulation - 2-3 days

- straw / linen
 - wood wool slabs
 - sheep wool
- natural
- glasswool
 - rockwool
- mineral

wall finishing - 3-4 days


- inside:
- OSB panel
 - gypsum board / plaster
- outside:
- OSB sheathing
 - weather resistive barrier - WRB
 - wood furring
 - cladding (horizontal / vertical wood siding)

typical wall 250 mm




plaster 10-15mm
gypsum board 12.5 mm
polyurhylene sheet
studs 150x50mm
isulation 150mm
OSB board 22mm
sheating membrane (air barrier)
wood strapping 50x30mm
cladding

wall with additional insulation 290 mm



plaster 10-15mm
gypsum board 12.5 mm
polyurhylene sheet
studs 150x50mm
insulation 150mm
additional insulation 50mm
sheating membrane (air barrier)
wood strapping 50x30mm
cladding



project stage & responsibilities


05

3-4 persons
do-it-yourselfers / professionals

roof structure

roof insulation

roof finishing



materials & time

roof

roof framing - 1 week

pine / spruce / fir / larch
rafters: 200x200mm
beams: 150x50mm

*roof insulation - 2-3 days

- straw / linen
- wood wool slabs
- sheep wool

natural

- glasswool
- rockwool

mineral

roof finishing - 2-3 days

- counter battens
- tile battens
- breathable membrane
- roofing

roofing

seam roofing
self-sealing membrane
spaced sheathing 25x100mm
battens 50x50mm
roof membrane


attic truss

top plate 150x25mm

gutter

prefinished fascia

fascia



04

3-4 persons
do-it-yourselfers / professionals

ceiling insulation

ceiling finishing

ceiling

ceiling insulation - 1 day

- straw / linen
- wood wool slabs
- sheep wool

natural

- glasswool
- rockwool



mineral


ceiling finishing - 3-4 days

attic:
- floor finishing
- vapour barrier
ceiling:
- gypsum board / plaste

ceiling slab 250 mm

floor finishing 30mm
OSB board 22mm
polyurethane sheet
studs 150x50mm
insulation 100-150mm
sheathing membrane
wood strapping 100x25mm
gypsum board 12.5mm
paint





cold attic

ceiling detail
see p.104-105

roof detail
see p.104-105

wall detail
see p.102-103

wooden open veranda

asphalt concrete over gravel
treatment

drainage system

strip reinforced concrete
foundation

the depth of foundation
installation depends on the
soil type and the depth of
ground freezing

underfloor heating system

foundation & slab detail
see p. 100-101


wooden terrace

+5.50

+3.25

+3.00

0.00



PREFAB TIMBER

construction

location: Chernihiv & Kharkiv regions

construction time: foundation - 3-4 weeks
wall assembly - 1-2days
floor/roof assembly - 1-2days
finishing - 3-5 days

* It is important to note that the construction time can vary and depends on many factors, such as weather conditions, time of year, availability of materials, etc. So, this diagram shows the average time values.

02

2-3 persons
do-it-yourselfers / professionals

-  slab structure
-  slab insulation
-  floor finishing

The filling of a monolithic slab can be carried out after 7-14 days after the filling of the strip foundation. After 14 days it can be possible to move to the next construction stage.

In the context of pile foundations, it is crucial to observe a waiting period of 7-14 days after the concrete pouring process. Once this duration has elapsed, construction can commence on framing the floor.

01

3-4 persons
do-it-yourselfers / professionals

-  foundation construction
-  insulation of the foundation

materials & time


floors

reinforced concrete slab - 2 weeks

insulation - half day
- expanded clay pellets
- EPS, XPS

floor finishing - 2-3 day
- waterproofing barrier
- OSB sheathing
- floor finishing (parquet / tile)

floor panels installation - 1-2 days



insulated floor panels


floor finishing 30mm
OSB board 22mm
polyurethane sheet
floor joist 150x50mm
insulation 150mm
vapour retarder 6mm
sill plates 150x50mm
waterproofing
foundation

foundations

strip foundation
concrete strip - 2 weeks /
concrete block - 2 weeks

insulation - half day
- foamed cement (gasbeton)
- glasswool
- EPS, XPS

protection board
vapour retarder
rigid insulation 40mm
bituminous membrane
strip reinforced
concrete
foundation 300mm
rigid insulation 40 mm
vapour retarder
concrete slab




concrete floor & strip foundation

floor finishing 30mm
OSB board 22mm
polyurethane sheet
concrete slab 150mm
vapour retarder 6mm
rigid insulation 50mm

references

3rd edition: Graphic guide to Frame Construction, Rob Thallon
Canadian wood-frame house construction, Canada Mortgage and Housing Corporation, <https://www.cmhc-schl.gc.ca>
Foundation Design Handbook, <https://foundationhandbook.com.gov/handbook/toc.shtml>



There are several types of home heating:
- electric / gas boiler;
- central heating system;
- underfloor heating system;
- fireplace / stove
The type of heating is selected based on the specific case. In this version, a heating option is presented using a underfloor heating system and wood-burning stove. In turn, the installation of a gas boiler is the optimal solution.

03

3-4 persons
professionals



prefab wall structure



wall finishing

For wall installation it is recommended to use the services of a professional mason and use specialized equipment for wall installation.

* the construction of walls can be carried out only after the foundation and the monolithic slab gain their necessary strength (on average, concrete usually reaches most of its strength within the first 28 days after pouring).

walls

wall panel assembly - 1 day

pine / spruce / fir / larch
structural wall: 200x50mm
internal wall: 120(150)x50mm

wall insulation - 2-3 days

- straw / linen
- cellulose
- sheep wool

natural

- glasswool
- rockwool

mineral

wall finishing - 3-4 days


inside:

- gypsum board / plaster

outside:


- OSB sheathing
- weather resistive barrier - WRB
- wood furring
- cladding (horizontal / vertical wood siding)

prefab timber frame panel 400-450 mm




gypsum board 12.5 mm
cavity insulation 120-150mm
studs 120(150)x50mm
OSB sheathing 15mm
studs 200x50mm
cellulose insulation 200mm
sheathing membrane (air barrier)
OSB sheathing 15mm
wood strapping 50x30mm
cladding

prefab timber frame panel 300 mm



gypsum board 12.5 mm
OSB sheathing 15 mm
studs 200x50mm
insulation 200mm
sheathing membrane (air barrier)
rigid wood fibre insulation board 40mm
base coat (reinforcing mortar)
textile glass fabric
lime render



project stage & responsibilities

materials & time

05

3-4 persons
professionals



prefab roof structure



roof finishing

roof



cold attic **warm attic**
* there can be 2 options of the structure of attic: warm and cold ones. It depends on the preferences of people.

***insulated roof panels**

- straw / linen
 - cellulose
 - sheep wool
 - glasswool
 - rockwool
- } natural
 } mineral


roof panel assembly - 1 day

- pine / spruce / fir / larch beams: 150x50mm
- OSB sheathing

roof finishing - 2-3 days

- roof membrane
- counter battens
- spaced sheathing
- roofing

There are several construction options for the roof structure including wooden rafters and roof trusses, and prefabricated roof and floor panels. Both methods have their own advantages and depend on the specific project requirements and regional preferences. This diagram shows an option using prefab roof and floor panels.



04

3-4 persons
professionals



prefab roof structure



ceiling / floor finishing



ceiling


floor panel assembly - half day

ceiling / floor finishing - 1-2 days

- attic:**
- floor finishing
 - vapour barrier

- ceiling:**
- gypsum board / plaster





warm attic

ceiling detail
see p.104-105


roof detail
see p.112-113

wall detail
see p.110-111

wooden closed veranda


drainage system

foundation & slab detail
see p.108-109



underfloor heating system

concrete terrace



MASONRY

construction

location: Kharkiv & Mykolayiv regions
construction time: foundation - 3-4 weeks
 structural masonry - 2 weeks
 roof structure - 1-2 weeks
 finishing - 1 week

* It is important to note that the construction time can vary and depends on many factors, such as weather conditions, availability of materials, etc. So, this diagram shows the average time values.

02

2-3 persons
do-it-yourselfers / professionals

-  slab structure
-  slab insulation
-  floor finishing

The filling of a monolithic slab can be carried out after 7-14 days after the filling of the strip foundation. After 14 days it can be possible to move to the next construction stage.

This waiting period allows the foundation to achieve optimal strength and stability to support the subsequent phases of the building project.

materials & time

floors

reinforced concrete slab - half day

floor finishing - 2-3 day

- waterproofing barrier
- concrete screed
- floor finishing (parquet / tile)

insulation - half day

- expanded clay pellets
- EPS, XPS
- * it is highly recommended to use a underfloor heating system for additional thermal insulation of the building.

foundations

strip foundation

- concrete strip - 2 weeks /
- concrete block - 2 weeks

slab-on-grade foundation

- reinforced-concrete plate - 2 weeks

insulation - 1-2 days


- foamed cement
- glasswool
- EPS, XPS

slab-on-grade foundation with integral grade beam

- external finishing 20 mm
- polythene membrane
- insulation 100 mm
- masonry wall 250 mm
- plaster 20 mm

- underfloor heating system
- thermoblock

- protection board
- bituminous membrane
- XPS insulation 60 - 100mm
- slab-on-grade
- foundation 250-300mm




references

DETAILS, Review of Architecture, Vol. 5, 2014 - Facades, Vol. 5, 2015 - Solid Forms of Construction
 Foundation Design Handbook, <https://foundationhandbook.com.gov/handbook/toc.shtml>

01

3-4 persons
do-it-yourselfers / professionals

-  foundation construction
-  foundation insulation



There are several types of home heating:
 - electric / gas boiler;
 - central heating system;
 - underfloor heating system;
 - fireplace / stove
 The type of heating is selected based on the specific case. In this version, a heating option is presented using a underfloor heating system and wood-burning stove. (this example is used if it is impossible to connect to a gas system). In turn, the installation of a gas boiler is the optimal solution.

03

3-4 persons
professionals



structural masonry



wall insulation



wall finishing

As for load-bearing walls, it is recommended to consult a civil engineer or a professional mason to ensure safety and compliance with local building regulations.

*when designing a masonry house, there are various choices available for the veranda structure, such as masonry or concrete pillars, as well as wood-frame structures. This diagram illustrates an example utilizing masonry pillars.

walls

masonry wall - 2 weeks

clay brick / eco-block / hempcrete / timbercrete / compressed bricks / adobe bricks


wall insulation - 3-7 days

- cellulose
 - wool
 - linen / hemp
- } natural
- glasswool
 - rockwool
- } mineral

wall finishing - 1-2 days

- gypsum board / plaster


masonry wall 520 mm




gypsum board / plaster 20 mm
clay brick 250mm
insulation 100 mm
windproof membrane*
masonry veneer anchor
ventilated air gap 30-40 mm
facing brick veneer 120 mm

*it is not obligatory, but it is highly recommended

ventilated facade 470 mm



gypsum board / plaster 20 mm
clay brick 250mm
insulation 100 mm
insulation with windproof membrane 30mm
wood strapping 50x30mm
cladding



project stage & responsibilities

05

3-4 persons

do-it-yourselfers / professionals



roof structure



roof insulation



roof finishing



materials & time

roof

roof framing - 1 week

pine / spruce / fir / larch
rafters: 200x200mm
wall plate: 150x150mm
battens: 50x50 mm
sheathing: 100x25 mm

roof finishing - 2-3 days

- counter battens
- tile battens
- breathable membrane
- roofing


*roof insulation - 2-3 days

- straw / linen
- wood wool slabs
- sheep wool
- glasswool
- rockwool

natural

mineral

roofing



ceiling

ceiling framing - 2-3 days

pine / spruce / fir / larch
beams: 150x50mm, 100x50mm

ceiling insulation - 1 day

- straw / linen
- wood wool slabs
- sheep wool
- glasswool
- rockwool

natural



mineral


ceiling finishing - 1-2 days

attic:
- floor finishing
- vapour barrier
ceiling:
- gypsum board / plaster

ceiling slab 250 mm

floor finishing 30mm
OSB board 22mm
polyurhylene sheet
studs 150x50mm
insulation 100-150mm
sheathing membrane
rafters 100x25mm
gypsum board 12.5mm
paint





cold attic

ceiling detail
see p.120-121

wall detail
see p.118-119

strip foundation
see p.116-117

the depth of foundation
installation depends on the
soil type and the depth of
ground freezing

underfloor heating system

concrete terrace
over gravel treatment



monolithic reinforced
concrete lintel
brick slip lintel

+5.50

+3.25

+3.00

0.00



PRECAST CONCRETE

construction

location: Kharkiv & Mykolayiv regions

construction time: foundation - 2-3 weeks
floors - 2-3 weeks
precast concrete wall structure - 1 day
roof structure - 1 day
finishing - 2-3 days

* It is important to note that the construction time can vary and depends on many factors, such as weather conditions, availability of materials, etc. So, this diagram shows the average time values.

02

2-3 persons
do-it-yourselfers / professionals

-  slab structure
-  slab insulation
-  floor finishing

The filling of a monolithic slab can be carried out after 7-14 days after the filling of the strip foundation. After 14 days it can be possible to move to the next construction stage.

This waiting period allows the foundation to achieve optimal strength and stability to support the subsequent phases of the building project.

01

3-4 persons
do-it-yourselfers / professionals

-  foundation construction
-  insulation of the foundation


materials & time

floors

reinforced concrete slab - 2-3 weeks

floor finishing - 5-7 days

- waterproofing barrier
- concrete screed
- floor finishing (parquet / tile)



concrete slab & strip foundation

floor finishing 30mm
OSB board 22mm
polythene membrane
concrete screed 60 mm
(with underfloor heating system)
bituminous sealant
polyethylene sheet
rigid insulation 50mm
bituminous sealant
reinforced concrete slab 150mm

protective board
vapour retarder
rigid insulation 50mm
bituminous membrane
strip reinforced -concrete
foundation 400mm

foundations

strip foundation


concrete strip - 2-4 weeks /
concrete block - 2 weeks

insulation - 1-2 days

- foamed cement
- glasswool
- EPS, XPS

**concrete slab foundation /
slab-on-grade foundation
with integral grade beam)**

reinforced-concrete plate
- 2-3 weeks



**slab-on-grade foundation with
integral grade beam**

anchor bolt
thermoblock
underfloor heating system


protection board
bituminous membrane
XPS thermal insulation
50-100mm
slab-on-grade
foundation 300mm

vapor retarder

references

<https://oreillyconcrete.com/products/architectural-wall-panels/>
NPCA Architectural Precast Connection Guide, <http://precast.org>

<https://oreillyconcrete.com/products/architectural-wall-panels/>
NPCA Architectural Precast Connection Guide, <http://precast.org>




There are several types of home heating:

- electric / gas boiler;
- central heating system;
- underfloor heating system;
- fireplace / stove


The type of heating is selected based on the specific case. In this version, a heating option is presented using a underfloor heating system and fireplace / stove.

In turn, the installation of a gas boiler is the optimal solution.



external insulation

strip foundation



external insulation

concrete slab foundation
(or slab-on-grade foundation
with integral grade beam)

03

3-4 persons

do-it-yourselfers / professionals



As for concrete panels, it is recommended to use the services of a professional mason and use specialized equipment for wall installation.

walls

sandwich concrete wall - 1-2 days

internal insulation:


- XPC
- PE
- } synthetic
- glasswool
- rockwool
- } mineral

internal / external wall finishing - 1-2 days

- gypsum board / plaster


* the construction of walls can be carried out only after the foundation and the monolithic slab gain their necessary strength (on average, concrete usually reaches most of its strength within the first 28 days after pouring).

precast wall panel 250-280mm




- gypsum board / plaster 20 mm
 - concrete panel 120mm
 - insulation 100-150 mm
 - windproof membrane*
 - external cladding
- *it is not obligatory, but it is highly recommended

insulated pre-cast concrete panel 400 mm



- gypsum board / plaster 20 mm
- insulated precast panel - 350-370 mm
- concrete panel 120-140mm
- thermal insulation 160-180 mm
- concrete panel 70mm
- external cladding



project stage & responsibilities

05

3-4 persons

do-it-yourselfers / professionals



materials & time

roof

roof framing - 1 week

pine / spruce / fir / larch
rafters: 200x200mm
wall plate: 150x150mm
battens: 50x50 mm
sheathing: 100x25 mm

roof finishing - 2-3 days

- counter battens
- tile battens
- breathable membrane
- roofing

*roof insulation - 2-3 days

- straw / linen
- wood wool slabs
- sheep wool
- glasswool
- rockwool

] natural
] mineral

roof structure

roofing shingles
self-sealing membrane
spaced sheathing 25x100mm
battens 50x50mm
roof membrane


wooden truss

wall plate
beam 150x25mm

gutter

prefinished
fascia


fascia



04

3-4 persons

do-it-yourselfers / professionals



ceiling

wall plate - 30 min

pine / spruce / fir / larch
beams: 150x25mm

ceiling insulation - 1 day

- straw / linen
- wood wool slabs
- sheep wool
- glasswool
- rockwool



] natural
] mineral


ceiling finishing - 1-2 days

attic:
- floor finishing
- vapour barrier
ceiling:
- gypsum board / plaster

ceiling slab 400 mm

floor finishing 30mm
OSB board 22mm
polyurethane sheet
insulation 300mm
sheathing membrane
wood strapping 100x25mm
gypsum board 12.5mm
paint








8

WEBSITE & MANUAL

WEBSITE

To integrate this project into life, a convenient approach would be to establish a website where individuals can create their dream house interactively and easily using an on-line constructor. Users will have the option to choose their preferred solutions for their house.

The website will also feature fundamental information about the project concept and pre-designed solutions.




After selecting the location for your plot, a choice of house layout options will be presented.




Then it will be possible to assemble the house by choosing materials, building elements and cladding of the future home.

- STEPS**
- 0 Location
 - 1 House plan
 - 2 Materials
 - 3 Foundations
 - 4 Roof
 - 5 Veranda / terrace
 - 6 Windows
 - 7 Doors
 - 8 Facade finishing
 - 9 Roof finishing
 - 10 Color palette
 - 11 Export manual




After your house has been assembled, the manual for its construction can be downloaded.




SELF-BUILDING MANUAL

This streamlined construction guide is designed for individuals and families embarking on the journey of building their own homes. Our goal is to enhance your comprehension of the intricacies inherent in constructing one's own residence.


This manual is the result of a constructor assembled on the website using the option with wood-frame structure, and it illustrates the step-by-step process involved in the creation of a house on the website.



This spread contains information about the necessary building materials and tools, without which the construction of a house cannot be possible. In turn, materials for the construction of the house will be delivered to the site according to its configuration.





In this page there is information about the planning of the site with recommendations for its planning according to the selected location and local rules.



The planning solution of the house with the arrangement of furniture is recommendatory, and can be changed according to the preferences of the customer.

The construction of the foundation should be carried out by appropriate specialists, or under the supervision of the chief engineer, because this is one of the most important stages and is responsible for the stability of all structures.

The manual also contains brief illustrative information about all stages of foundation construction, for more accurate information, you should use the working documentation of the project with corresponding drawings and calculations.




This offer contains information about the creation of a concrete floor, if desired, at the stage of creating a house on the website, you can also choose an option with the use of a wooden frame of the house, or using another type of foundation that does not require the construction of the floor.

At this stage, the frame of the load-bearing walls is being erected, the booklet shows the main stages of construction and some of the joints of the frame.

EXTERNAL WALL FRAMING

- After finishing the slab construction, the focus shifts to the exterior walls. Firstly, mark the positions of the exterior walls on the slab, ensuring their alignment (employ a chalk line to mark the inside of the walls).
- Install the mudsills and make waterproof under it. The first layer of wood should be installed on top of the foundation wall.
- Start assembling the walls: choose high-quality, straight lumber for the top and bottom plates. Mark both plates for wall studs and door/window openings while they are assembled together. Separate the top and bottom plates and nail in the pre-cut wall studs and door/window jackstuck.




WALL ASSEMBLY

External walls are assembled on the ground and then lifted into position. Lifting these walls necessitates a collaborative effort due to their considerable weight. Precise measurements for window and door openings are crucial at this stage.

WALL INSTALLATION

- After assembling the walls, they should be installed on the floor slab.
- And then the walls should be tied with the overlap top plates. Make sure that the plates overlap each other at the corners.




CORNERS

Insulate corners and stud spaces that might be encased by framing or intersecting walls.

ROOF FRAMING & TRUSSES INSTALLATION

- After erecting the exterior walls the subsequent task is to construct the roof frame. Frame the gables trusses and install temporary bracing across the house.
- Then install a single gable truss and secure it to the end wall by fastening it with nails to both the wall and the gable truss.
- Mark the location of the wooden trusses on the top plate of the outer wall.




TEMPORARY BRACING

Install temporary bracing across the trusses. This temporary bracing will remain in place until the roof sheathing is installed.


- Place the trusses on the exterior walls so that the roof rafter is pointing down. Then slide one truss at a time to the opposite end of the house and set it in place. Using the lifting rods, turn the truss vertically.

- It also requires two people on ladders or scaffolding to secure the trusses when they are lifted.
- Install the remaining trusses in the design position one by one and check the verticality of each truss.




In this illustrative case, the structural roof system consists of wooden trusses. The installation and assembly of this pivotal component demand the expertise of highly skilled specialists equipped with specialized tools and machinery tailored to the intricacies of the task at hand.

The construction of the foundation should be carried out by appropriate specialists, or under the supervision of the chief engineer, because this is one of the most important stages and is responsible for the stability of all structures.




The manual also contains brief illustrative information about all stages of foundation construction, for more accurate information, you should use the working documentation of the project with corresponding drawings and calculations.


The construction sequence should be duly noted, with the initial focus in frame construction being the execution of external finishing, succeeded by the subsequent steps of wall insulation and interior finishing. Furthermore, it's essential to highlight that alterations or variations in the house's aesthetics and decor can also be contemplated and implemented during this particular phase.



The insulation of the house is a key stage that requires compliance with the relevant norms and regulations. This approach is necessary to ensure optimal quality and maintain the structural integrity of the house. Compliance with the established norms during installation not only increases overall productivity, but also contributes to the durability of structural elements.



The interior embellishment of the house is subject to individual preferences, yet the installation of drywall or plastering on the walls is imperative.



Towards the conclusion of the manual, you'll find comprehensive details regarding the structural nodes employed in the project. This insightful section serves to elucidate the intricacies of the project's key connection points, offering valuable insights into the overall design and construction methodology.


The manual also includes information about landscaping the site, detailing potential organization approaches and providing recommendations for the maintenance of both the site and the house.

LANDSCAPING

Enhance the aesthetic appeal and value of your new home and property through strategic landscaping. Consider the following steps:

- Optimize Green Spaces:** Treat the areas around your house with quality topsoil, expanding them in harmony with existing varieties.
- Vegetable Garden Preparation:** If you're planning a vegetable garden, ensure proper soil preparation. During dry weather, distribute topsoil and apply commercial-grade fertilizers based on the plot's size and your preferences for seed choices.
- Driveway Excellence:** For a durable driveway, opt for pure crushed stone. Spread a 100 mm layer evenly on footpaths. For parking areas, use asphalt or concrete blocks with grass.
- Floral and Structural Enhancements:** Elevate your property's charm by planting flowers, trees, and shrubs or adding a stylish fence.


By embracing these detailed landscaping endeavors, you not only elevate the visual charm but also substantially augment the overall value of your property, creating a haven that seamlessly blends aesthetics with functionality.




POSSIBLE HOUSE EVOLUTION AND EXTENSIONS

possible options for the site:
vegetable garden
fruit garden
flower beds

backyard zone



Furthermore, information about the prospective expansion and addition of new blocks to the existing house is provided in the manual. Based on the initially specified data, details about potential options for the evolution of the house and plot can be found.



CONGRATULATIONS!

You are now the proud owner of a new home. Your dedication and hard work made your dream come true. It's crucial to take proper care of your home and make the most of the time you spent in it.

The creation of the website and guide is the result of our extensive research efforts and project proposals dedicated to the project. This comprehensive approach has been carefully refined and adapted to ensure convenient operation in accordance with our desire to provide users with accessible and understandable information about the possibilities of creating their own home, built with their own hands.

In the end, we, as authors, wish to express our extraordinary hope that our research and development will not remain only on the pages of this document. We strive to see them in real life, contributing to changes and improvements in the field of housing construction in Ukraine.

Our main goal has always been to create a project that will help improve the quality of life of modern Ukrainian families. We hope that our work will serve as a source of information that will help citizens better understand and implement positive changes in the construction and housing sector.


The method we call «self-construction» is well-known in Ukrainian culture and is not something extraordinary. It reflects ancient traditions and aspirations of Ukrainian families to build their own

home and develop it over time. The gradual evolution of the home, including additions and modifications, allows owners to adapt the home to their changing needs and circumstances.

Our project emphasizes individuality and comfort for people in the post-war period. We hope that this will help modern Ukrainian families create a new beginning and forget the horrors of war by building quality and sustainable housing that meets their needs and ambitions.

One of the possible ways to implement our ideas and recommendations is cooperation with volunteers, public organizations, NGOs, etc., that are actively working to improve living conditions for citizens. Our project could be a useful tool for such organizations, inspiring them for new initiatives.

We believe that together we will be able to take steps towards the future, where every family in Ukraine will have the opportunity to get used to their normal life and live in comfortable housing.



BIBLIOGRAPHY

- ARCGIS. (2023). Land Cover Explorer. Retrieved from livingatlas.arcgis.com/landcoverexplorer
- ARCHITECTURAL PRECAST CONCRETE WALL PANELS. Connection guide. (2014). Retrieved from [precast.org: https://precast.org/wp-content/uploads/2014/08/Precast-Concrete-Architectural-Connections-Guide.pdf](https://precast.org/wp-content/uploads/2014/08/Precast-Concrete-Architectural-Connections-Guide.pdf)
- Architectural Wall Panels. (n.d.). Retrieved from [oreillyconcrete.com: https://oreillyconcrete.com/products/architectural-wall-panels/](https://oreillyconcrete.com/products/architectural-wall-panels/)
- Barakat S. (2003, December). Housing reconstruction after conflict and disaster. Humanitarian Practice Network, managed by Humanitarian Policy Group.
- Bellingcat. (2023). Civilian harm in Ukraine. Retrieved from [bellingcat.com: https://ukraine.bellingcat.com/](https://ukraine.bellingcat.com/)
- Climate of Chernihiv Region, Kharkiv Region, Mykolaiv Region . (n.d.). Retrieved from [weatherspark.com: https://weatherspark.com/](https://weatherspark.com/)
- CMHC. (1999). Best Guide for Wood-Frame Envelopes. Canada: CMHC.
- Comment about number of people with destroyed housing by Deputy Prime Minister for Reintegration of the Temporarily Occupied Territories of Ukraine Iryna Vereshchuk. (2023). Retrieved from <https://minre.gov.ua/en/>.
- damaged.in.ua. (2023). Damaged In Ua. Retrieved from [damaged.in.ua: https://damaged.in.ua/satellite-data](https://damaged.in.ua/satellite-data)
- DESIGNING for Prefab. (n.d.). Retrieved from [collectivecarpentry.com: https://collectivecarpentry.com/our-services/designing-prefab-building/](https://collectivecarpentry.com/our-services/designing-prefab-building/)
- DETAIL. (2014). English 5/2014 - Facades, Review of Architecture, Vol. 5, 2014 - Facades. Retrieved from [issuu.com: https://issuu.com/detail-magazine](https://issuu.com/detail-magazine)
- DETAIL. (2015). English 5/2015 - Solid Forms of Construction, Vol. 5, 2015. Retrieved from [issuu.com: https://issuu.com/detail-magazine/docs/bk_dee_5-2015_solid_forms_of_constr](https://issuu.com/detail-magazine/docs/bk_dee_5-2015_solid_forms_of_constr)
- EARTH CODE OF UKRAINE. (2002). Retrieved from Global Regulation: <https://www.global-regulation.com/translation/ukraine/571258/land-code-of-ukraine.html>
- EcoZagroza. (2023). Official resource of the Ministry of Environmental Protection and Natural Resources of Ukraine. Retrieved from [ecozagroza.gov.ua: https://ecozagroza.gov.ua/en](https://ecozagroza.gov.ua/en)
- facebook.com. (n.d.). Retrieved from [facebook.com: https://www.facebook.com/](https://www.facebook.com/)
- Ghirda V. (2022, April). photo of destruction. Borodyanka, Kyiv Region, Ukraine: https://www.instagram.com/p/CcAxa5Fs1lz/?img_index=4.
- Grachev A. (2010-2020). Soils of Ukraine. Retrieved from <https://geomap.land.kiev.ua/soil.html>
- GREENPEACE. (2022). Environmental damage in Ukraine during the full scale war. Retrieved from [maps.greenpeace.org: https://maps.greenpeace.org/maps/gpcee/ukraine_damage_2022/](https://maps.greenpeace.org/maps/gpcee/ukraine_damage_2022/)
- Greenpeace. (2022). Photo of soil disturbance in the Red forest. Chernobyl zone, Ukraine: greenpeace.org.
- HDX. (2023). Ukraine Displacement Data: IDP Estimates. Retrieved from [data.humdata.org: https://data.humdata.org/dataset/ukraine-idp-estimates?](https://data.humdata.org/dataset/ukraine-idp-estimates?)
- Illustrations for schemes . (n.d.). Retrieved from [freepik.com: https://www.freepik.com/](https://www.freepik.com/)
- Interview with Alex, L. (2023, October). "Life during the war". (Dziurych A., Interviewer)
- Interview with Danylo M. (2023, October). "Life during the war". (Dziurych A., Interviewer)
- Interview with Yana C. (2023, October). "Life during the war". (Dziurych A., Interviewer)
- IOM. (2023). Reports by International Organization for Migration. Retrieved from [dtm.iom.int/: https://dtm.iom.int/ukraine](https://dtm.iom.int/)
- Köppen-Geiger climate classification. (2023). Retrieved from <https://koepen-geiger.vu-wien.ac.at/present.htm>
- KSE. (2023). Kyiv School of Economics. Retrieved from [kse.ua: https://kse.ua/about-the-school/news/](https://kse.ua/about-the-school/news/)
- Malashko Y. (2022, 2023). photo of destruction. Zaporizhzhia region, Ukraine: Governor of Zaporizhzhia region, <https://www.facebook.com/zoda.gov.ua/>.
- NASA. (2023). Thermal anomalies. Retrieved from [firms.modaps.eosdis.nasa.gov: https://firms.modaps.eosdis.nasa.gov/active_fire/](https://firms.modaps.eosdis.nasa.gov/active_fire/)
- OHCHR. (2023, October 19). Independent International Commission of Inquiry on Ukraine. Retrieved from [ohchr.org: https://www.ohchr.org/sites/default/files/documents/hrbodies/hrcouncil/coiukraine/A-78-540-AEV.pdf](https://www.ohchr.org/sites/default/files/documents/hrbodies/hrcouncil/coiukraine/A-78-540-AEV.pdf)
- Open data of the land cadastre of Ukraine. (2023). Retrieved from [kadastr.live: https://kadastr.live/](https://kadastr.live/)
- Photo from archive of the sale advertisement. (n.d.). Chernihiv Region, Kharkiv Region, Mykolaiv Region, Ukraine: web.archive.org.
- Photo of "Art-memorial Museum of I. Repin". (n.d). Kharkiv Region, Ukraine: repin.in.ua/en
- Photo of destroyed houses. (2023, October). by Kyiv Regional Military Administration. Kyiv Region, Ukraine: koda.gov.ua.
- Photo of House of Berg. (2019, June). Mykolaiv, Mykolaiv region, Ukraine: archmykolaiv.com.
- Photo of Murafa village. (n.d.). Bogodukhiv district, Kharkiv region, Ukraine: uk.wikipedia.org.
- Photo of quarry equipment. (n.d.). Dnipro Region, Ukraine: pokrovzsk.com.ua.
- Photo of the art installation «Home. Memories» at the Antarctic research base. (2023). <https://www.balbek.com/home-memories>.
- Photo of the traffic jam on the way out from Kyiv. (2022, February). Kyiv, Ukraine: epaimages.com.
- Photo of the work of volunteers of the «District #1» foundation. (2022). Gos-tomel, Kyiv Region, Ukraine: districtone.foundation.
- Photos from "List of sights of Novgorod-Siversky District". (n.d.). Chernihiv Region, Ukraine: commons.wikimedia.org.
- Photos from the article "Chernihiv's Fretted Architecture". (July 2022). Ukraine: birdinflight.com.
- Photos from the satellite of streets of Mariupol city before and after full scale invasion 24.02.2022. (2022). Mariupol, Ukraine: Google Earth, Maxar.
- Photos of destruction and environmental disasters. (2022,2023). Ukraine: State Emergency Service of Ukraine, <https://www.facebook.com/MNS.GOV.UA>.
- Photos of open-air museum "Ukrainian Sloboda". (n.d.). Pysarivka village, Zolochiv community, Bogodukhiv district, Kharkiv region, Ukraine: <http://surl.li/nfkoe>.
- ProConsulting. (2023, March). Ukrainian building material market, the impact of the war. Retrieved from [pro-consulting.ua: https://pro-consulting.ua/en/pressroom/rynok-stroitelnyh-materialov-v-ukraine-analiz-vliyaniya-vojny](https://pro-consulting.ua/en/pressroom/rynok-stroitelnyh-materialov-v-ukraine-analiz-vliyaniya-vojny)
- Public reports of the State Forestry Agency. (2019 - 2022). Retrieved from [forest.gov.ua: https://forest.gov.ua/agentstvo/komunikaciyi-z-gromadskistyuu/publichni-zviti-derzh-lisagentstva](https://forest.gov.ua/agentstvo/komunikaciyi-z-gromadskistyuu/publichni-zviti-derzh-lisagentstva)
- Regents of the University of Minnesota, C. f. (2013). Foundation Design Handbook. Retrieved from <https://foundationhandbook.ornl.gov/handbook/>: <https://foundationhandbook.ornl.gov/handbook/>
- Sarara W. (2018). Bioclimatic principles in vernacular architecture. Lessons from four different climate zones. Delft: Faculty of Architecture & the Built Environment, Delft University of Technology.
- Self Build Construction Manual. (n.d.). Retrieved from [publications.gc.ca: https://publications.gc.ca/collections/collection_2018/schl-cmhc/nh17/NH17-234-1995-eng](https://publications.gc.ca/collections/collection_2018/schl-cmhc/nh17/NH17-234-1995-eng)

pdf

- Statistical Information Regarding State Registration Of Civil Status Acts. (2018-2022). Retrieved from minjust.gov.ua: https://minjust.gov.ua/actual-info/stat_info
- Statistical Information, Demographic and social statistics. (2018 - 2022). Retrieved from ukrstat.gov.ua: <https://www.ukrstat.gov.ua/>
- STEICO. (n.d.). Wall construction "Timber Frame". Retrieved from steico.com: <https://www.steico.com/en/solutions/new-construction/wall-construction>
- Thallon R. (2008). Graphic Guide To Frame Construction. The Taunton Press.
- The climate in Ukraine. (2015). Retrieved from worlddata.info: <https://www.worlddata.info/europe/ukraine/climate.php>
- Tymochko T. (2023, March). WHAT DAMAGE THE RUSSIANS DID TO THE NATURE OF UKRAINE. Retrieved from www.ecoleague.net: <https://www.ecoleague.net/>
- UAnimals. (November 2022). Photo of ecocide in Ukraine, caused by Russia. Ukraine: https://www.instagram.com/p/CkfXmrfoWas/?img_index=4.
- Vasiukov Y. (n.d.). Photo of Dwelling House. Mykolaiv, Mykolaiv Region, Ukraine: archmykolaiv.com.
- Александрович В. А., К. Ю. (2023). Основы та Фундаменти. Конспект лекцій. [Aleksandrovich V., K. Y. (2023). Basics and Foundations. Synopsis of lectures.] Харків: ХНУМГ ім. О. М. Бекетова.
- Андрущенко Т. (2022). Війна: духовно-естетичні та моральні цінності –утвердження чи перегляд. [Andrushchenko T. (2022). War: spiritual, aesthetic and moral values - affirmation or revision] ENPUiR - електронний архів наукових публікацій Українського державного університету імені Михайла Драгоманова., pp. 45-48.
- Балабанов Г. (n.d.). Промисловість будівельних матеріалів, скляна та порцеляно-фаянсова промисловість. [Balabanov G. (n.d.). Building materials industry, glass and porcelain and earthenware industry] Економіка та соціальна географія

України (р. 22). Картографія.

- Власюк Н. (2022). ОКРЕМІ АСПЕКТИ ЕКОЛОГІЧНОЇ БЕЗПЕКИ УКРАЇНИ. ПРАВОВА ПОЛІТИКА УКРАЇНИ: ІСТОРІЯ ТА СУЧАСНІСТЬ [Vlasyuk N. (2022). CERTAIN ASPECTS OF ENVIRONMENTAL SECURITY OF UKRAINE. LEGAL POLICY OF UKRAINE: HISTORY AND PRESENT] (р. 10). Житомир: Матеріали III Всеукраїнського науково-практичного семінару (Житомир, 07 жовтня 2022 р.).

SELF-BUILDING **MANUAL**



wood-frame house

TABLE OF CONTENTS ▶

01

PREFACE

- 4-5 Introduction
- 6-7 Site plan & House plan
- 8 Tools
- 9 Building materials: storage and usage

02

CONSTRUCTION STAGE

- 10-11 Foundations
- 12-13 Ground floor slab
- 14-15 Wall framing
- 16-17 Roof framing

03

EXTERIOR STAGE

- 18-19 Roof finishing
- 20 External finishes
- 21 Windows and doors installation

04

INTERIOR STAGE

- 22 Interior framing
- 23 Wall and ceiling insulation
- 24 Internal finishes
- 25 Electricity, heating, water supply and sewage

05

LANDSCAPING

- 26-27 Organization of the plot

06

HOUSE EVOLUTION

- 28-29 Possible house evolution and extensions


INTRODUCTION

This simplified construction guide is intended for individuals and families undertaking the construction of their own homes. We aim to provide with a better understanding of the complexities involved in building people's own house.

The project is expected to span 3-6 months, depending on the extent of work planned to be handled personally and the portions that will be delegated to subcontractors. For your construction endeavor, you will receive house plans, building materials, site services, construction supervision, inspections, and subcontracted labor for tasks beyond your capabilities. Moreover, there is going to be the support of a Construction Manager. This responsible person will oversee the work, offer guidance and assistance as well as ensure adherence to building codes and effective construction practices.

The sections in this guide have been organized in a suggested sequence to match the various stages of construction, and practical advice in the form of builder's notes has been included. Any necessary alterations to the provided details, arising from differences in local or provincial building regulations, will be communicated by a Construction Manager.

As the homeowner, the responsibility lies with you to construct your house, with the support of relatives, friends, and neighbors.



TOOLS

In order to ensure that the job is done effectively and smoothly, possessing the appropriate tools is a crucial moment to be taken into consideration.


1 This guide outlines the essential tools required for constructing your house. These are the fundamental tools you might want to either buy or borrow for your home construction project.

2 After the tools have been acquired, their investment should be safeguarded by proper storage when not in use.

3 It is critical to maintain carefully the construction tools. Immediately remove any rust, ensure that power saw blades are kept sharp, keep small tools conveniently stored in a single toolbox, and maintain the sharpness of hand saws, mitre saws, chisels, knives, and axes for ease of cutting.

To guarantee the safety of both yourself and your volunteer assistants, it is essential to make sure the following safety equipment items are accessible and utilized:

- Steel-toed/soled boots
- Hard hats
- Gloves
- Filter masks
- Safety goggles



MATERIALS

At your site, it's crucial to observe specific precautions to safeguard these materials from potential damage. Items like plywood, gypsum board, insulation, windows and doors, wood siding, and electrical materials must be stored on blocking and shielded with polyethylene covers to maintain their dryness. Prevent fainting, staining, and glue from freezing, and ensure that polyethylene (vapor barrier) is shielded from direct sunlight to avoid deterioration. Additionally, it's important to stack framing lumber tightly to prevent twisting. There are some additional recommendations:

timber materials


Properly store and handle wood to maintain quality. Avoid tossing timber materials carelessly on the construction site. Use a plastic pallet or wrap underneath the lumber and cover it with a plastic sheet to prevent damage. This approach preserves wood integrity and quality.

windows / doors

Handle windows with care upon delivery. Place them on a level, sturdy wooden pallet at a slight angle, not flat. After arranging, cover the glass with plywood and secure it with polyethylene to prevent moisture and ensure protection.

rebars


It is necessary to put the fittings on a pallet and provide a canopy made of waterproof materials or cover with a covering material



SITE PLAN



* it should be noted that the location of house depends on the location of the plot according to the cardinal directions



HOUSE PLAN

Scale 1:50

family members:



bedroom


living room with kitchen

bathroom

veranda


hall

home office / dressing room



BUILDING SITE PREPARATION

- 1 First of all, it is necessary to level the site and make a marking of the foundation. Mark the outer corners of the foundations by installing wooden stakes and using twine lines and measuring tape, as shown in the figure.
- 2 Then there are earthworks, it is necessary to dig trenches with an excavator, as well as manually adjust the angles of the trench with a shovel. The bottom of the trench should be flat, so you will need to work on leveling with a level.



worker type:
 professional
 do-it-yourselfer

FOUNDATIONS

- 3 Next, you should proceed to the construction of the formwork, this will require bars and a thin board, the height of the formwork should be 10-20 cm above the depth of the trench. To avoid cement leakage, a layer of polyethylene film is placed inside the formwork structure.
- 4 Install a drainage system below 30 cm of the footing.
- 5 Set rebars for the footing. Rebars should be laid along and across the trench. This step is paramount, as it provides essential reinforcement to concrete.

worker type:
 professional
 do-it-yourselfer

- 6 Shovel the concrete into the trench up to the top of the stakes. Then, use a metal float to achieve a smooth surface on the concrete.
- 7 Allow the concrete to cure for a period of 3 days. Then proceed to the construction of foundation walls according to the same scheme.

CONCRETE MIX

In situations where ready-mix concrete is unavailable and on-site mixing is necessary, it is crucial to meticulously measure the right proportions of cement, sand, stone, and water for the mix. Utilize the 1 cubic foot box displayed below to achieve accurate measurements:

2 boxes of cement
2 boxes of stones
3 boxes of sand



foundation wall

footing

stakes

ties

sheathing

drainage

brace

gravel layer


rebars

FORMWORK

The formwork (sheathing) boards are lowered to the bottom of the trench, and they are picked up from the outside by stakes. From the inside they are fastened with ties after 2-3 m.

FOUNDATION INSULATION

- 8 After pouring the foundation, it is worth waiting about 2-3 weeks for the concrete to gain the necessary strength.
- 9 Then, it is possible to proceed to waterproofing the foundation, and then to thermal insulation.




worker type:

- professional
- do-it-yourselfer

GROUND FLOOR SLAB

- 10 Further, before filling the slab, it should be insulated. It is necessary to insulate because slabs lose heat most readily at their perimeters, where they are exposed to the air, so slabs must be protected from heat loss by a closed-cell rigid insulation placed over the entire area.
- 11 To protect the slab from moisture (and retard vapor), waterproofing should be installed.
- 12 Then, set rebar for the slab. Rebars should be laid along and across as a grid.



worker type:

- professional
- do-it-yourselfer


- 13 Bring connected utilities like water supply, electric cable, and sewage system.
- 14 Pour the concrete up to the top of the foundation. After 14 days it can be possible to move to the wall construction.

UNDERFLOOR HEATING INSULATION

In the case, if it is necessary to make the house warmer and increase comfort, the underfloor heating system can be installed, which is often more energy-efficient than traditional heating systems because it operates at lower temperatures. It can be installed at the stage of rebar setting or in the future already at the stage of floor cladding.

EXTERNAL WALL FRAMING

- 15 After finishing the slab construction, the focus shifts to the exterior walls. Firstly, mark the positions of the exterior walls on the slab, ensuring their alignment (employ a chalk line to mark the inside of the walls).
- 16 Install the mudsills and make waterproof under it. The first layer of wood should be installed on top of the foundation wall.
- 17 Start assembling the walls: choose high-quality, straight lumber for the top and bottom plates. Mark both plates for wall studs and door/window openings while they are assembled together. Separate the top and bottom plates and nail in the pre-cut wall studs and door/window jacks.




WALL ASSEMBLY

External walls are assembled on the ground and then lifted into position. Raising these walls necessitates a collaborative effort due to their considerable weight. Precise measurements for window and door openings are crucial at this stage.

WALL INSTALLATION

- 18 After assembling the walls, they should be installed on the floor slab.
- 19 And then the walls should be tied with the overlap top plates. Make sure that the plates overlap each other at the corners.



CORNERS

Insulate corners and stud spaces that might be enclosed by framing or intersecting walls.

ROOF FRAMING & TRUSSES INSTALLATION

20 After erecting the exterior walls the subsequent task is to construct the roof frame. Frame the gables trusses and install temporary bracing across the house.

21 Then install a single gable truss and secure it to the end wall by fastening it with nails to both the wall and the gable truss.

22 Mark the location of the wooden trusses on the top plate of the outer wall.


worker type:

- professional
- do-it-yourselfer

23 Place the trusses on the exterior walls so that the roof visor is pointing down. Then slide one truss at a time to the opposite end of the house and set it in place. Using the lifting rods, turn the truss vertically.


TEMPORARY BRACING

Install temporary bracing across the trusses. This temporary bracing will remain in place until the roof sheathing is installed.



24 It also requires two people on ladders or scaffolding to secure the trusses when they are lifted.

25 Install the remaining trusses in the design position one by one and check the verticality of each truss.




worker type:

- professional
- do-it-yourselfer

ROOF FINISHING


- 26 Following erection of the roof trusses, install a wooden nailer along the eave and secure it to the end of each truss. This nailer serves to prevent the truss extension from twisting and serves as a secure base for attaching the wood fascia board.

- 27 Install eave ladder to gable truss.



- 28 Consider siting the prefabricated chimney between two roof trusses if feasible. Construct a frame between the trusses to offer structural support around the chimney opening for both the roof and ceiling.

- 29 Apply the roof sheathing: install roof membrane (waterproofing) over the wooden trusses, followed by the installation of battens to fix the membrane and facilitate proper ventilation. Subsequently, mount the spaced sheathing and proceed to cover the roof with metal sheets.



EXTERIOR FINISHES, WINDOWS & DOORS

- 30** With the roof in place, it is advisable to proceed with exterior work to ensure the house is weatherproof. Begin by applying the exterior wall finishes:

install OSB sheets on top of the wall frame (or add extra rigid thermal insulation if required), followed by the application of waterproofing. Then proceed with wall strapping, finish the process by laying wooden siding.

*OSB board

exterior wall cladding
(hardboard siding)


strapping

air barrier

worker type:

● professional

○ do-it-yourselfer




*ADDITIONAL WALL INSULATION

If there is a need for additional thermal insulation, then in this case, rigid insulation (rigid wood fibre insulation board) is installed instead of the OSB plate. Then the air barrier, strapping and external cladding are also installed.

- 31** Insert the window unit into the opening, leveling it with shims or edges. Secure the window by nailing through the exterior trim into the wall framing, avoiding wedges at the top of the window frame. Fill the gap between the rough opening and the window frame with insulation or foam, ensuring caution to prevent distortion. Finally, seal the window frame and wall air/vapor barriers with sealant and staples.

- 32** Install and seal exterior door frames in a manner similar to window frames.



terrace
floor finishing

*terrace
ceiling finishing
(optional)

window detail
see p.

worker type:

● professional

○ do-it-yourselfer

WINDOWS

The majority of manufacturers create window assemblies that include sashes, glazing, seals, and exterior trim. A significant number of these units are presently fabricated in the factory.

INTERIOR FRAMING

- 33 With the house now weatherproof, it's time to commence work on interior partitions and finishes. Non-load-bearing interior partitions are typically built in a manner resembling exterior walls, meaning they are constructed on the subfloor and then lifted into position.


blocking
lintel over opening

jack studs
to support the lintel

door detail
see p.

cut out bottom plate
after partition nailed
in place

bottom wall plate



worker type:

professional

do-it-yourselfer

ELECTRICAL /PLUMBING SERVICES

After interior partitions are complete, sub-trades will install the roughed-in for electrical/plumbing services.


WALL INSULATION

- 34 Subsequently, move forward with the thermal insulation of the walls and install batt insulation between the exterior wall studs, ensuring a snug fit against the exterior wall sheathing. Accommodate the insulation around and behind electrical boxes, registers, blocking, etc.

worker type:

professional

do-it-yourselfer



vapor barrier

thermal insulation

- 35 Install vapor barriers over insulation, ensuring overlap at joints against solid backing. Seal joints with sealant, patch tears with tape, and staple to framing members. Apply sealant at top and bottom wall plates for a secure seal.


PRECAUTIONS

Contact with insulation may result in temporary skin irritation. After handling, wash the affected area with soap and cool water. When installing, it is recommended to wear loose clothing, snug work gloves, and a hat for added protection.

INTERIOR FINISHES

36 Fill in the concrete screed and allow it to cure for approximately 2-4 weeks until it reaches its full strength. Afterward, proceed with additional finishing. If the installation of an underfloor heating system is required, ensure it is installed before pouring the concrete.

37 Mount gypsum board across the framing members, maintaining a secure hold against the framing members during installation



ATTIC FINISHING

Finishing the attic is an optional step. In such cases, you have the choice to use gypsum board or OSB sheets to finish the walls and install the floor finish similarly to residential premises.


38 Next, proceed to painting the walls and laying the final floor covering.

ELECTRICITY, HEATING, WATER SUPPLY AND SEWAGE

39 Upon finishing the premises, proceed to install all devices in the house. Ensure that this process is coordinated and carried out by the appropriate specialists.

ELECTRICITY

The main option is connection to the central electrical network and as an additional option: installation of solar panels



WATER SUPPLY

The main option is to connect to the central water supply. But if there is no such possibility in the area, another option is the creation of an underground well that reaches the level of water suitable for consumption. It is also recommended to consider rainwater harvesting.

HEATING

As a heating system, various options can be considered, which depend on the initial situation in the area. If it is possible to connect to the central gas supply system, it is recommended to install a two-circuit gas boiler for heating and hot water as the most economically beneficial system. If it is not possible to connect to the central gas system due to its absence, it is also recommended to install an electric double-circuit boiler and/or an electric floor. An additional and alternative option is to install a fireplace.

SEWAGE



The septic tank option is recommended as the most popular option in rural areas.

LANDSCAPING

Enhance the aesthetic appeal and value of your new home and property through strategic landscaping. Consider the following steps:

- 1 Optimize Green Spaces:**
Treat the areas around your house with quality topsoil, expanding them in harmony with existing varieties.
- 2 Vegetable Garden Preparation:**
If you're planning a vegetable garden, ensure proper soil preparation. During dry weather, distribute topsoil and apply commercial-grade fertilizers based on the plot's size and your preferences for seed choices.
- 3 Driveway Excellence:**
For a durable driveway, opt for pure crushed stone. Spread a 100 mm layer evenly on footpaths. For parking areas, use asphalt or concrete blocks with grass.
- 4 Floral and Structural Enhancements:**
Elevate your property's charm by planting flowers, trees, and shrubs or adding a stylish fence.

By embracing these detailed landscaping endeavors, you not only elevate the visual charm but also substantially augment the overall value of your property, creating a haven that seamlessly blends aesthetics with functionality.




POSSIBLE HOUSE EVOLUTION AND EXTENSIONS


possible options for the site:
vegetable garden
fruit garden
flower beds

backyard zone

possible usage:
summer house
guest house
sauna
warehouse for tools
storage
chicken coop




1




An alternative possibility includes adding a terrace that connects to the backyard, whether it's hidden or open.

2



Another potential option involves attaching a terrace connected to a veranada, whether concealed or open.

3



Afterward, there is an option to construct a complete house, linking it to the main residence through the extension of a small block. This house also offers the potential for further expansion, usually the space behind the house in the yard is much larger than the space in front of the house, which allows for much more options for construction.

CONGRATULATIONS!

You are now the proud owner of a new home. Your dedication and hard work made your dream come true. It's crucial to take proper care of your home and make the most of the time you spent in it.

